



Tire Chains & Accessories

2017 - 2018

*Providing the traction
industry with high quality
products, selection and
service for over 80 years*



Laclede Tire Chain Catalog

2017-2018



Scan for more information
on chain use and selection

ISO 9001 Certified

Tire chains are legal in all states. Visit our website for additional information for specific regulations per state.

New app for Laclede Tire Chains and Installation Videos

Our new mobile app features a quick tire size look up along with easy access to a variety of chain installation videos.



Rules for Using Tire Chains:


IMPORTANT: Prefit Chains Prior to Actual Use!

For Your Convenience & Safety:

- Consult owner's manual to see if chains can be used on your vehicle.
- Make certain your tire chains are properly sized for your tires. A proper fit is key to performance.
- Follow directions for installing tire chains. Apply as tightly as possible by hand for maximum chain life.
- Be sure to pull off highway to safe place before installing, servicing or removing tire chains.
- Do not deflate tires to install tire chains.
- Drive approximately 1/4 mile. Stop & retighten. Extra links may be cut off or preferably retained on the fastener arm. Keep chains tight to snug throughout the operation. Only after retightening may rubber adjusters be applied.
- Do not exceed 30 m.p.h. Accelerate and decelerate slowly. Avoid spinning or locking of wheels.
- If a cross chain should fail, stop immediately. Repair or remove. Do Not drive with a broken chain.
- Avoid hitting curbs with tire chains.
- Tire chains are not designed for towing vehicles.


NORMAL

(Chains installed as tight as possible by hand.)



LOOSE

(Chains loosened by one link each side.)



Definitions of SAE Classifications

SAE Class "U" – Regular (non-reinforced) and lug reinforced passenger tire chains for vehicles with regular (non-restricted) wheel well clearances.

SAE Class "S" – Regular (non-reinforced) passenger tire chains and cables for vehicles with restricted wheel well clearances.

SAE Class "W" – Those passenger tire chains that use light truck components, as well as some light truck chains.

TABLE OF CONTENTS

PASSENGER

Alpine Premier Diamond
Pattern Chain (SAE Class S)

Laclede "Snap-Lock"
Cable Chain (SAE Class S)

Laclede "PL Type" Link Chain
(SAE Class S)

PASSENGER

LIGHT TRUCK & HEAVY TRUCK

Alpine Diamond Pattern Chain
Truck Hoop Chain
Alloy Studded Chain

Extra Durable Alloy Truck Chain
Highway Service Chain*
V-BAR Reinforced Chain*

Snap Lock Cable Chain
Mud Service Chain*
Square Straight Link Chain*

LIGHT TRUCK &
HEAVY TRUCK

TRACTOR & EQUIPMENT

Loader/Grader Chain*
Skid Steer Chain*
U-Lug Forestry Chain

Tractor Chain*
Bulk Continuous Tractor Chain**
Forklift Chain

ATV-UTV Chain
Garden Tractor/Snow Blower
Chain

TRACTOR &
EQUIPMENT

REPLACEMENT PARTS

Fasteners
Cross Chain Hooks*
Bulk Side Chain/Bulk Cross
Chain*

ACCESSORIES

Tightening Tools
Adjusters
Emergency Chains

REPAIR PARTS

Side Chain Repair Links
Cross Chain Repair Links
Pin Couplers
Repair Pliers

ACCESSORIES &
REPAIR PARTS

HARDWARE & INDUSTRIAL

Alloy Tow & Binder Chain
- Clevis Type
Transport Tow & Binder Chain
- Clevis Type

Security Chain
Laclede Lockdown Chain - Lock
Load Binders - Ratchet Type
Load Binders - Lever Type

Truck-Tough Binders
- Ratchet Type
Grade 80 Load Binders
- Ratchet Type

HARDWARE &
INDUSTRIAL

TIRE CHAIN SPECIFICATIONS

Single/Dual Triple Highway
Service Chain
Single/Dual Triple V-BAR Chain
Square Straight Link Chain
Wide Base Twist Link/V-BAR Chain

Light Truck/Heavy Truck Cable
Chain
Single/Dual Triple Mud Service
Chain
Loader/Grader Chain

DUO-Grip H-Pattern Tractor Chain
Roadmaster/Nu-Way Tractor Chain
Forklift Chain • ATV/UTV Chain
Garden Tractor/Snow Blower Chain

TIRE CHAIN
SPECIFICATIONS

* Most sizes available in USA Made

** All sizes only available in USA Made

PASSENGER CARS

ALPINE DIAMOND PATTERN*	5
PASSENGER CABLE CHAIN*	6
PL STEEL LINK CHAIN*	7

**Indicates SAE Class S Clearance*

PASSENGER VEHICLE TIRE FIT CHART

THIS TIRE SIZING CHART IS A GUIDE ONLY!

Actual fitments can vary due to dimensional variances in tire manufacturing within size designations.

All tire chains should be pre-fit prior to use.

Tire Size	Alpine Series	"PL" Series	Cable Series
	Alpine Premier Page 5	Passenger Link Chain Page 7	Cable Chain Page 6

12 Inch Rims

145R12	1505	1110	N/A
P145/80R12	1505	1110	N/A
155R12	1505	1114	1014
P165/70R12	1505	1110	1014
P175/70R12	N/A	1114	1014

13 Inch Rims

135R13	N/A	1110	N/A
145R13	1510	1114	1014
P145/80R13	1510	1114	1014
155R13	1515	1114	1014
P155/55R13	N/A	1110	N/A
P155/70R13	1510	1114	1014
P155/80R13	1515	1114	1014
160R13	N/A	1114	1014
165R13	1520	1118	1018
P165/65R13	1510	1114	1018
P165/70R13	1510	1114	1014
P165/80R13	1520	1118	1018
175R13	1525	1122	1026
175/50R13	N/A	1114	1014
175/60R13	1515	1114	1014
P175/70R13	1520	1118	1018
P175/75R13	1525	1118	1018
P175/80R13	1525	1122	1026
185R13	1530	1126	1026
P185/60R13	1515	1118	1018
P185/70R13	1525	1118	1026
P185/80R13	1530	1122	1022
P185/85R13	N/A	1130	1030
195R13	N/A	1130	1030
P195/60R13	1520	1126	1026
P195/70R13	1525	1126	1026
P195/75R13	N/A	1130	1030
P205/60R13	1525	1126	1026
P205/70R13	1530	1126	1030
P215/50R13	N/A	1126	1026
P215/60R13	N/A	1126	1026
P215/65R13	N/A	1130	1030
P235/50R13	N/A	1134	1034
P245/50R13	N/A	1134	1034

14 Inch Rims

P145/70R14	N/A	1114	1014
165R14	1525	1122	1026
165/65R14	1515	1114	1018
165/70R14	1520	1118	1018
P165/75R14	1525	1118	1018
175R14	1530	1122	1022
P175/60R14	1515	1118	1018
P175/65R14	1520	1118	1018
P175/70R14	1525	1126	1026
P175/75R14	1525	1122	1022
P175/80R14	N/A	1122	1022
185R14	1535	N/A	N/A
P185/55R14	N/A	1118	1018
P185/60R14	1530	1126	1026
P185/65R14	1525	1126	1026
P185/70R14	1530	1126	1022
P185/75R14	1530	1130	1030
P185/80R14	N/A	1130	1030
195R14	1540	1134	1034
P195/55R14	N/A	1126	1026
P195/60R14	1525	1126	1026
P195/65R14	1525	1126	1030

Tire Size	Alpine Series	"PL" Series	Cable Series
	Alpine Premier Page 5	Passenger Link Chain Page 7	Cable Chain Page 6

14 Inch Rims Continued

P195/70R14	1530	1130	1030
P195/75R14	1535	1130	1030
205R14	1545	1134	1034
205/55R14	1525	1126	1026
P205/60R14	1530	1130	1026
P205/70R14	1540	1130	1030
P205/75R14	1540	1134	N/A
215R14	1545	1138	1038
P215/60R14	1530	1130	1030
P215/65R14	1540	1130	1030
P215/70R14	1540	1134	1034
P215/75R14	1545	1134	1034
225R14	N/A	1138	1038
225/40R14	N/A	N/A	1026
P225/60R14	1540	1130	1034
P225/65R14	N/A	1134	1034
P225/70R14	1545	1138	1038
P225/75R14	1547	1138	1038
P235/60R14	1545	1134	1034
P235/70R14	N/A	1138	1038
P245/50R14	N/A	1134	1030
P245/60R14	1547	1138	1038
P245/70R14	N/A	1142	1042
P255/55R14	N/A	1138	1038
P255/60R14	1540	1138	1038
P255/70R14	1540	N/A	N/A
P265/50R14	N/A	1138	1038
P265/60R14	N/A	1142	1042
P275/60R14	N/A	1142	1042
27X8.5-14	N/A	1134	1034

15 Inch Rims

135R15	1515	1118	1014
145R15	1520	1118	1018
P145/70R15	N/A	1118	1018
P145/80R15	N/A	1118	1018
155R15	1525	1122	1022
P155/60R15	1510	N/A	N/A
P155/70R15	N/A	1118	1018
P155/80R15	N/A	1122	1022
165R15	1530	1122	1022
P165/80R15	1530	1122	1022
175R15	1535	1130	1030
P175/55R15	1520	N/A	N/A
P175/65R15	1530	1122	1022
P175/70R15	1530	1122	1022
185R15	1540	1134	1034
P185/55R15	1525	1126	1026
P185/60R15	1530	1126	1026
P185/65R15	1530	1130	1030
P185/70R15	1535	1130	1030
195/45R15	N/A	N/A	1026
P195/50R15	1525	1126	1026
P195/55R15	1525	1130	1030
195/60R15	1535	N/A	N/A
P195/60R15	1530	1130	1030
195/65R15	1535	1130	1030
P195/70R15	1540	1130	1034
P195/75R15	1545	1134	1034
205R15	1550	1138	1038
205/45R15	N/A	N/A	1026
P205/50R15	1530	1126	1026
P205/55R15	1530	1134	1034
P205/60R15	1540	1130	1030
P205/65R15	1540	1134	1034

PASSENGER VEHICLE TIRE FIT CHART

THIS TIRE SIZING CHART IS A GUIDE ONLY!

Actual fitments can vary due to dimensional variances in tire manufacturing within size designations.

All tire chains should be pre-fit prior to use.

PASSENGER

Tire Size	Alpine Series	"PL" Series	Cable Series
	Alpine Premier Page 5	Passenger Link Chain Page 7	Cable Chain Page 6

15 Inch Rims Continued

P205/70R15	1545	1134	1034
P205/75R15	1545	1138	1038
P215/50R15	N/A	1130	1030
P215/55R15	N/A	1134	1034
P215/60R15	1540	1134	1034
P215/65R15	1545	1134	1038
P215/70R15	1550	1138	1038
P215/75R15	1550	1138	N/A
P225/50R15	N/A	1134	1030
P225/55R15	N/A	1134	1034
P225/60R15	1545	1138	1038
P225/65R15	N/A	1130	1030
P225/70R15	1553	1138	1038
235R15	N/A	1142	1042
P235/60R15	1550	1138	1038
P235/65R15	1555	1138	1038
P235/70R15	1555	1142	1042
P235/75R15	2318	N/A	N/A
P245/50R15	N/A	1138	1038
P245/60R15	1553	1142	1042
P255/55R15	N/A	1142	1042
P255/60R15	1553	1142	1042
P255/65R15	N/A	1142	1042
P265/50R15	1547	1142	1042
P265/60R15	N/A	1142	1042
P275/50R15	1555	1142	1042

16 Inch Rims

185/55R16	N/A	N/A	1026
P195/45R16	N/A	N/A	1026
195/50R16	1530	1130	1030
P195/55R16	N/A	1134	1034
195/60R16	1535	1134	1034
195/75R16	1550	1138	1038
P205R16	1547	1134	1038
205/40ZR16	N/A	N/A	1026
205/45ZR16	N/A	N/A	1026
P205/50R16	N/A	1130	1030
P205/55R16	1540	1134	1034
P205/60R16	1540	1134	1034
P205/65R16	1545	1134	1034
205/70R16	N/A	1138	1038
215/40ZR16	N/A	N/A	1026
P215/50R16	N/A	1134	1034
P215/55R16	1545	1134	1034
P215/60R16	1545	1138	1034
P215/65R16	1550	1138	1038
P215/70R16	1553	1142	1042
215/75R16	1555	1142	1042
P225/50R16	N/A	N/A	1034
P225/55R16	1550	1138	1038
P225/60R16	1550	1138	1038
P225/65R16	1553	1138	1038
P235/50R16	1545	1134	1038
P235/55R16	N/A	1134	1034
235/60R16	1553	N/A	N/A
P235/65R16	1555	1142	1042
P245/45R16	N/A	N/A	1034
P245/50R16	N/A	1142	1042
P245/55R16	1553	1142	1042
P255/50R16	1555	1142	1042

17 Inch Rims

205/40ZR17	N/A	N/A	1026
205/45ZR17	N/A	N/A	1030

Tire Size	Alpine Series	"PL" Series	Cable Series
	Alpine Premier Page 5	Passenger Link Chain Page 7	Cable Chain Page 6

17 Inch Rims Continued

P205/50R17	1540	1134	1034
205/55R17	N/A	1134	1034
215/40ZR17	N/A	N/A	1030
215/45ZR17	N/A	N/A	1034
P215/50R17	1545	1134	1034
P215/55R17	1547	1138	1038
P215/60R17	1553	1138	1038
P215/65R17	1553	1142	1042
225/45ZR17	N/A	N/A	1034
P225/50R17	1550	1138	1038
225/50R17	N/A	1138	1038
P225/55R17	1553	1138	1038
P225/60R17	1553	1142	1042
225/65R17	2318	1142	1042
235/40ZR17	N/A	N/A	1034
235/45ZR17	N/A	N/A	1038
235/50R17	N/A	N/A	1038
P235/55R17	1553	1138	1042
245/35ZR17	N/A	N/A	1034
245/40R17	N/A	N/A	1034
245/45ZR17	N/A	N/A	1038
P245/50R17	N/A	1142	1042
P255/40R17	N/A	N/A	1038
P255/45R17	N/A	1142	1042
255/50R17	N/A	N/A	1042
275/40ZR17	N/A	N/A	1042

18 Inch & Other Rims

205/35ZR18	N/A	N/A	1026
215/35R18	N/A	N/A	1030
215/40ZR18	N/A	N/A	1034
215/45ZR18	N/A	N/A	1034
215/55R18	1553	N/A	N/A
225/40ZR18	N/A	N/A	1034
P225/45R18	N/A	1138	1038
225/50R18	1553	1138	1038
225/60R18	1555	N/A	1042
235/40ZR18	N/A	N/A	1038
235/45R18	N/A	N/A	1038
235/50ZR18	2318	N/A	1042
235/55R18	1555	N/A	1042
245/40ZR18	N/A	N/A	1038
P245/45R18	N/A	1142	1042
245/50R18	2318	1142	1042
255/40ZR18	N/A	N/A	1042
255/45ZR18	N/A	N/A	1042
275/35ZR18	N/A	N/A	1042
235/45R19	2318	1142	1042
245/40R19	N/A	N/A	1042
255/35R19	N/A	N/A	1042
255/40ZR19	N/A	N/A	1042
295/45R19	N/A	1142	1042
245/35R20	N/A	N/A	1042
P165/70R360	N/A	1118	1018
P165/70R365	N/A	1118	1018
P185/65R365	N/A	1126	1026
P180/65R390	N/A	1126	1026
P190/65R390	1535	1130	1030
P220/55R390	N/A	1134	1034
P220/65R390	N/A	1138	1038
235/710R460A	1555	N/A	N/A
245/680R460A	1553	N/A	N/A
225/700R480A	1550	N/A	N/A

Laclede™ Alpine Premier

The Premium Tire Chain

Laclede's Alpine Premier features a quick mounting design with a 3.5mm diamond pattern cross chain configuration for maximum traction.

Scan for more information
on Alpine Series Chains



PASSENGER

- Built-in tightening device, no extra adjuster needed
- Square link cross chains for even wear
- Meets SAE Class S clearance requirements
- Superior traction and lateral stability
- Provides durability and performance

*Convenient installation without lifting
or moving vehicle. "Easy on, Easy off"*

Note: Chains not recommended for use on tires with an aspect ratio of 50 or less due to potential wheel damage.
See page 16 for Light Truck and SUV applications in the Alpine series



LACLEDE™ ALPINE PREMIER CHAINS

Tire Sizes						Stock No.	Weight Per Pair
145R12	P145/80R12	155R12	P165/70R12			1505	9
145R13	P145/80R13	P155/70R13	P165/65R13	P165/70R13	P155/60R15	1510	9
155R13	175/60R13	165/65R14	135R15			1515	10
P155/80R13	P185/60R13	P175/60R14					
165R13	P175/70R13	165/70R14	145R15			1520	10
P165/80R13	P195/60R13	P175/65R14	P175/55R15				
175R13	P185/70R13	165R14	P175/75R14	P195/65R14	P185/55R15	1525	10
P175/75R13	P195/70R13	P165/75R14	185/65R14	205/55R14	P195/50R15		
P175/80R13	P205/60R13	P175/70R14	P195/60R14	155R15	P195/55R15		
185R13	P185/60R14	P205/60R14	P165/80R15	P185/60R15	P205/50R15	1530	10
P185/80R13	P185/70R14	P215/60R14	P175/65R15	P185/65R15	P205/55R15		
P205/70R13	P185/75R14	165R15	P175/70R15	P195/60R15	195/50R16		
175R14	P195/70R14						
185R14	175R15	195/60R15	195/60R16			1535	11
P195/75R14	P185/70R15	195/65R15	P190/65R390				
195R14	P215/65R14	P255/60R14	P195/70R15	P215/60R15	P205/50R17	1540	12
P205/70R14	P215/70R14	P255/70R14	P205/60R15	P205/55R16			
P205/75R14	P225/60R14	185R15	P205/65R15	P205/60R16			
205R14	P225/70R14	P195/75R15	P215/65R15	P215/55R16	P215/50R17	1545	12
215R14	P235/60R14	P205/70R15	P225/60R15	P215/60R16			
P215/75R14	27X8.5-14LT	P205/75R15	P205/65R16	P235/50R16			
P225/75R14	P245/60R14	P265/50R15	P205R16	P215/55R17		1547	13
195/75R16	P215/70R15	P235/60R15	P225/55R16	8.00-16.5	225/700R480A	1550	12
205R15	P215/75R15	P215/65R16	P225/60R16	P225/50R17			
P225/70R15	P255/60R15	P225/65R16	215/60R17	225/60R17	225/50R18	1553	13
P225/75R15	6.50-16LT	235/60R16	P215/65R17	P235/55R17	245/680R460A		
P245/60R15	P215/70R16	P245/55R16	P225/55R17	215/55R18			
P235/65R15	P275/50R15	P225/70R16	P255/50R16	225/60R18	245/45ZR19	1555	13
P235/70R15	215/75R16	235/65R16	225/55R18	235/55R18			

Laclede™ Passenger Snap-Lock Cable Chains

An Economical Alternative

- Patented Snap-Lock fastening system
- Meets SAE Class S clearance requirements
- Zinc plated case hardened rollers



LACLEDE™ PASSENGER CABLE CHAINS

Tire Sizes						Stock No.	Weight Per Pair	Number of Rollers per Cross Member	Cross Chains Per 1/2 Pair
155R12	145R13	P155/70R13	P165/70R13	P145/70R14		1014	4	19	10
P165/70R12	P145/80R13	P155/80R13	175/50R13	135R15					
P175/70R12	155R13	160R13	175/60R13						
165R13	P175/70R13	165/65R14	P175/60R14	145R15	P155/70R15	1018	4	19	11
P165/65R13	P175/75R13	165/70R14	P175/65R14	P145/70R15	P165/70R360				
P165/80R13	P185/60R13	P165/75R14	P185/55R14	P145/80R15	P165/70R365				
P185/80R13	P175/75R14	P185/70R14	P155/80R15	P165/80R15	P175/70R15	1022	5	19	12
175R14	P175/80R14	155R15	P165R15	P175/65R15					
175R13	P205/60R13	P185/65R14	P185/55R15	185/55R16	205/35ZR18				
P175/80R13	P215/50R13	P195/55R14	P185/60R15	195/45R16	P185/65R365	1026	5	21	11
185R13	P215/60R13	P195/60R14	195/45ZR15	205/40ZR16	P180/65R390				
P185/70R13	165R14	205/55R14	P195/50R15	205/45ZR16					
P195/60R13	P175/70R14	P205/60R14	205/45R15	215/40ZR16					
P195/70R13	P185/60R14	225/40R14	205/50R15	205/40ZR17					
P185/85R13	P185/75R14	P205/70R14	P185/65R15	P205/60R15	205/50R16				
195R13	P185/80R14	P215/60R14	P185/70R15	P215/50R15	205/45ZR17	1030	5	21	12
P195/75R13	P195/65R14	P215/65R14	P195/55R15	P225/50R15	215/40ZR17				
P205/70R13	P195/70R14	P245/50R14	P195/60R15	P225/65R15	215/35R18				
P215/65R13	P195/75R14	175R15	P195/65R15	195/50R16	P190/65R390				
P235/50R13	P225/65R14	P205/65R15	P205/55R16	P235/55R16	235/40ZR17				
P245/50R13	P235/60R14	P205/70R15	P205/60R16	P245/45R16	245/35ZR17				
195R14	27X8.5-14	P215/55R15	P205/65R16	P205/50R17	245/40R17	1034	6	24	12
205R14	185R15	P215/60R15	P215/50R16	205/55R17	215/40ZR18				
P215/70R14	P195/70R15	P225/55R15	P215/55R16	215/45ZR17	215/45ZR18				
P215/75R14	P195/75R15	P195/55R16	P215/60R16	P215/50R17	225/40ZR18				
P225/60R14	P205/55R15	195/60R16	P225/50R16	225/45ZR17	P220/55R390				
P215R14	P255/60R14	P225/70R15	P215/65R16	P225/50R17	P255/40R17	1038	6	24	13
225R14	P265/50R14	P235/60R15	P225/55R16	225/50R17	P225/45R18				
P225/70R14	205R15	P235/65R15	P225/60R16	P225/55R17	225/50R18				
P225/75R14	P205/75R15	P245/50R15	225/65R16	235/45ZR17	235/40ZR18				
P235/70R14	P215/65R15	195/75R16	P235/50R16	235/50R17	235/45R18				
P245/60R14	P215/70R15	P205R16	P215/55R17	245/45ZR17	245/40ZR18				
P255/55R14	P225/60R15	205/70R16	215/60R17		P220/65R390				
P245/70R14	P255/60R15	P235/65R16	P235/55R17	235/55R18	245/40R19				
P265/60R14	P255/65R15	P245/50R16	P245/50R17	245/45R18	255/35R19	1042	7	27	13
P275/60R14	P265/50R15	P245/55R16	P255/45R17	245/50R18	255/40ZR19				
235R15	P265/60R15	P255/50R16	255/50R17	255/40ZR18	295/45R19				
P235/70R15	P275/50R15	P215/65R17	275/40ZR17	255/45ZR18	245/35R20				
P245/60R15	P215/70R16	225/60R17	225/60R18	275/35ZR18					
P255/55R15	215/75R16	225/65R17	235/50ZR18	235/45R19					

Laclede™ Passenger Link Chains

All Steel Link Construction

- Twist link case hardened cross chain
- Manufactured to NACM specifications
- Meets SAE Class S clearance requirements



LACLEDE "PL" PASSENGER LINK CHAINS

Tire Sizes						Stock No.	Weight Per Pair	Number of Links per Cross Chain	Cross Chains Per 1/2 Pair
145R12	P145/80R12	P165/70R12	135R13	P155/55R13		1110	8	7	9
155R12	P145/80R13	P155/80R13	P165/70R13	P145/70R14		1114	9	7	10
P175/70R12	155R13	160R13	175/50R13	165/65R14					
145R13	P155/70R13	P165/65R13	175/60R13			1118	9	7	11
165R13	P175/75R13	165/70R14	P175/65R14	145R15	P155/70R15				
P165/80R13	P185/60R13	P165/75R14	P185/55R14	P145/70R15	P165/70R360				
P175/70R13	P185/70R13	P175/60R14	135R15	P145/80R15	P165/70R365				
175R13	165R14	P175/75R14	155R15	165R15	P175/65R15	1122	10	7	12
P175/80R13	175R14	P175/80R14	P155/80R15	165/80R15	P175/70R15				
P185/80R13						1126	10	8	11
185R13	P205/70R13	P185/60R14	P195/60R14	P185/60R15	P180/65R390				
P195/60R13	P215/50R13	185/65R14	P195/65R14	P195/50R15					
P195/70R13	P215/60R13	P185/70R14	205/55R14	205/50R15					
P205/60R13	P175/70R14	P195/55R14	P185/55R15	P185/65R365					
P185/85R13	P185/80R14	P215/60R14	P185/70R15	P205/60R15	P190/65R390	1130	11	8	12
195R13	P195/70R14	P215/65R14	P195/55R15	P215/50R15					
P195/75R13	P195/75R14	P225/60R14	P195/60R15	P225/65R15					
P215/65R13	P205/60R14	175R15	195/65R15	195/50R16					
P185/75R14	P205/70R14	P185/65R15	P195/70R15	205/50R16					
P235/50R13	P215/75R14	P195/75R15	P215/65R15	P205/55R16	P235/55R16	1134	11	9	12
P245/50R13	P225/65R14	P205/55R15	P225/50R15	P205/60R16	P205/50R17				
195R14	P235/60R14	P205/65R15	P225/55R15	P205/65R16	205/55R17				
205R14	P245/50R14	P205/70R15	P195/55R16	P215/50R16	P215/50R17				
P205/75R14	27X8.5-14	P215/55R15	195/60R16	P215/55R16	P220/55R390				
P215/70R14	185R15	P215/60R15	P205R16	P235/50R16		1138	12	9	13
215R14	P255/55R14	P215/75R15	195/75R16	225/65R16	P235/55R17				
225R14	P255/60R14	P225/60R15	205/70R16	P215/55R17	P225/45R18				
P225/70R14	P265/50R14	P225/70R15	P215/60R16	215/60R17	225/50R18				
P225/75R14	205R15	P235/60R15	P215/65R16	P225/50R17	P220/65R390				
P235/70R14	P205/75R15	P235/65R15	P225/55R16	225/50R17					
P245/60R14	P215/70R15	P245/50R15	P225/60R16	P225/55R17		1142	13	10	13
P245/70R14	P245/60R15	P265/60R15	P245/50R16	225/65R17	235/45R19				
P265/60R14	P255/55R15	P275/50R15	P245/55R16	P245/50R17	295/45R19				
P275/60R14	P255/60R15	P215/70R16	P255/50R16	P255/45R17					
235R15	P255/65R15	215/75R16	P215/65R17	P245/45R18					
P235/70R15	P265/50R15	P235/65R16	225/60R17	245/50R18					

LIGHT TRUCK

ALPINE DIAMOND PATTERN	16
SINGLE HIGHWAY SERVICE	18
SINGLE V-BAR REINFORCED	19
DUAL-TRIPLE HIGHWAY/V-BAR REINFORCED	20
WIDE BASE HIGHWAY/V-BAR REINFORCED	21
SINGLE/WIDE BASE CABLE CHAIN	22
SINGLE/DUAL-TRIPLE MUD SERVICE ...	23
SINGLE, WIDE BASE & DUAL-TRIPLE SQUARE LINK	24

LIGHT TRUCK HEAVY TRUCK

HEAVY TRUCK

HEAVY TRUCK HOOP CHAIN	16
SINGLE/DUAL-TRIPLE STUDDED	17
SINGLE HIGHWAY SERVICE	18
SINGLE V-BAR REINFORCED	19
DUAL-TRIPLE HIGHWAY/V-BAR REINFORCED	20
WIDE BASE HIGHWAY/V-BAR REINFORCED	21
SINGLE, WIDE BASE & DUAL-TRIPLE CABLE	22
SINGLE/DUAL-TRIPLE MUD SERVICE	23
SINGLE/DUAL-TRIPLE SQUARE LINK ALLOY	24

LIGHT TRUCK & HEAVY TRUCK TIRE CHAIN FIT CHART

THIS TIRE SIZING CHART IS A GUIDE ONLY!

Actual fitments can vary due to dimensional variances in tire manufacturing within size designations.

All tire chains should be pre-fit prior to use.

Tire Size	ALPINE SERIES		HIGHWAY SERVICE		V-BAR/REINFORCED		CABLE		MUD SERVICE	
	Alpine Super Sport Page 16	Alpine Sport Page 16	Singles Regular / Cam Page 18/21	Dual-Triples Regular / Cam Page 20	Singles Regular / Cam Page 19/21	Dual-Triples Regular / Cam Page 20	Singles Page 22	Dual-Triples Page 22	Singles Page 23	Dual-Triples Page 23

14 Inch Rims

H70-14ST	----	----	2211R / CAM	----	2811R	----	----	----	----	----
H78-14ST	----	----	2211R / CAM	----	2811R	----	----	----	----	----
7.00-14LT	----	----	2209R	----	2809R	----	----	----	----	----
185-14	----	1535	2209R	----	2809R	----	----	----	----	----
P205/75R14	----	1540	2209R	----	2809R	----	----	----	----	----
195/75R14LT	----	----	2209R	----	2809R	----	----	----	----	----
215/75R14LT	----	----	2216R / CAM	----	2816R / CAM	----	2016	----	----	----
28X8.50X14	----	----	2209R	----	2809R	----	----	----	----	----
9-14.5MH	----	----	2216R / CAM	----	2816R / CAM	----	2016	----	----	----

15 Inch Rims

H78-15ST	----	----	2211R / CAM	----	2811R	----	2011	----	----	----
H78-15LT	----	----	2216R / CAM	----	2816R / CAM	----	2016	----	----	----
LR78-15	----	----	2211R / CAM	----	2811R	----	2011	----	----	----
NR78-15	2524	----	2221R / CAM	4221CAM	2821R / CAM	4821R / CAM	2021	----	2437	4412
PR78-15	----	----	3227R / CAM	----	3827CAM	----	3027	----	----	----
QR78-15	----	----	3231R / CAM	----	3831CAM	----	----	----	----	----
6.70-15LT	----	----	2211R / CAM	----	2811R	----	2011	----	----	----
7.00-15LT	2519	2318	2211R / CAM	----	2811R	----	2011	----	----	----
7.00-15TR	----	----	2219R / CAM	4219CAM	2819R / CAM	4819R / CAM	2019	----	2435	----
7.50-15LT	2519	----	2219R / CAM	4219CAM	2819R / CAM	4819R / CAM	2019	----	2435	----
7.50-15TR	----	----	2221R / CAM	4221CAM	2821R / CAM	4821R / CAM	2021	----	2435	----
8.25-15LT	----	----	3210R / CAM	----	3810CAM	----	3010	----	----	----
8.25-15TR	----	----	2228R / CAM	4231R / CAM	2828R / CAM	----	2028	----	----	----
9.00-15TR	----	----	2237R / CAM	----	2837CAM	----	2037	----	2435	----
10-15LT	----	----	3210R / CAM	----	3810CAM	----	3010	----	2441	----
10.00-15TR	----	----	2239CAM	4239CAM	2839R / CAM	----	2039	----	2441	----
11-15LT	----	----	3227R / CAM	----	3827CAM	----	3027	----	----	----
11.00-15TR	----	----	2251R / CAM	4251CAM	2851R / CAM	4851R	----	----	----	----
12-15LT	----	----	3229R / CAM	----	3829CAM	----	3029	----	----	----
P215/75R15	----	1550	2211R / CAM	----	2811R	----	2011	----	----	----
P225/75R15	----	1553	2216R / CAM	----	2816R / CAM	----	2016	----	----	----
P235/75R15	2519	2318	2216R / CAM	----	2816R / CAM	----	2016	----	----	----
P245/65R15	----	----	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
P245/70R15	----	2318	2229R / CAM	----	2829R / CAM	----	2029	----	2437	4412
P255/70R15	2517	2319	2229R / CAM	----	2829R / CAM	----	2029	----	2437	4412
P255/75R15	2521	2321	----	----	----	----	----	----	----	----
P265/70R15	2517	2323	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
P265/75R15	----	2321	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
P275/60R15	2517	2319	2219R / CAM	----	2819R / CAM	----	2019	----	2437	----
P315/70R15	----	----	3229R / CAM	----	3829CAM	----	3029	----	----	----
195/75R15LT	----	----	2211R / CAM	----	2811R	----	2011	----	----	----
215/75R15LT	----	1550	2216R / CAM	----	2816R / CAM	----	2016	----	----	----
235/75R15LT	2518	2318	2219R / CAM	----	2819R / CAM	----	2019	----	2435	----
245/70R15LT	----	----	2219R / CAM	----	2819R / CAM	----	2019	----	----	----
245/75R15LT	----	----	2219R / CAM	----	2819R / CAM	----	2019	----	----	----
245/85R15LT	----	2324	----	----	----	----	----	----	----	----
255/65R15LT	----	----	----	----	----	----	----	----	2437	----
255/75R15LT	----	2321	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
265/70R15LT	----	2317	3210R / CAM	----	3810CAM	----	3010	----	----	----
265/75R15LT	----	2321	3210R / CAM	----	3810CAM	----	3010	----	2437	----
275/60R15LT	----	----	2221R / CAM	----	2821R / CAM	----	2021	----	2437	----
285/75R15	2533	2327	2228R / CAM	----	2828R / CAM	----	3027	----	----	----
305/50R15	----	----	3210R / CAM	----	3810CAM	----	3010	----	----	----
325/60R15	----	----	3229R / CAM	----	3829CAM	----	3029	----	----	----
29X9.50-15	----	----	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
30X9.50-15LT	2517	2319	2216R / CAM	----	2816R / CAM	----	2016	----	2437	4412
31X9.50R15	2518	----	----	----	----	----	----	----	----	----
31X10.5-15LT	2524	2324	3210R / CAM	----	3810CAM	----	3010	----	2437	4412
31X11.5-15LT	----	2324	3227R / CAM	----	3827CAM	----	3027	----	----	----
31X13.50-15	----	----	3229R / CAM	----	3829CAM	----	3029	----	----	----
32X11.5-15LT	2526	2326	3227R / CAM	----	3827CAM	----	3027	----	----	----

LIGHT TRUCK & HEAVY TRUCK TIRE CHAIN FIT CHART

THIS TIRE SIZING CHART IS A GUIDE ONLY!

Actual fitments can vary due to dimensional variances in tire manufacturing within size designations.

All tire chains should be pre-fit prior to use.

Tire Size	ALPINE SERIES		HIGHWAY SERVICE		V-BAR/REINFORCED		CABLE		MUD SERVICE	
	Alpine Super Sport Page 16	Alpine Sport Page 16	Singles Regular / Cam Page 18/21	Dual-Triples Regular / Cam Page 20	Singles Regular / Cam Page 19/21	Dual-Triples Regular / Cam Page 20	Singles Page 22	Dual-Triples Page 22	Singles Page 23	Dual-Triples Page 23

15 Inch Rims Continued

32X12.5X15	----	----	3229R / CAM	----	3829CAM	----	3029	----	----	----
33X9.50-15LT	2526	2326	3227R / CAM	----	3827CAM	----	3027	----	----	----
33X10.5X15	----	2327	3210R / CAM	----	3810CAM	----	3010	----	2439	----
33X12.50R15	----	----	3229R / CAM	----	3829CAM	----	3029	----	----	----
33X13.5-15	----	----	3227R / CAM	----	3827CAM	----	3027	----	----	----
33X14X15	----	----	3229R / CAM	----	3829CAM	----	3029	----	----	----
33X14.5-15	----	2337	3229R / CAM	----	3829CAM	----	3029	----	----	----
34X9.50-15	----	----	3227R / CAM	----	3827CAM	----	3027	----	----	----
35X12.5X15	2536	----	3229R / CAM	----	3829CAM	----	----	----	----	----
35X13.5-15	----	----	3231R / CAM	----	3831CAM	----	----	----	----	----
35X14-15	----	----	3235R	----	----	----	----	----	----	----
35X14.5-15	----	2337	3229R / CAM	----	3829CAM	----	3029	----	----	----
36X12.50-15	----	----	3235R	----	----	----	----	----	----	----
37X13-15	----	----	3231R / CAM	----	3831CAM	----	----	----	----	----
37X13.5-15	----	----	3235R	----	----	----	----	----	----	----
37X14.5-15	----	----	3251R	----	----	----	----	----	----	----
38.5X16-15	----	----	3265R	----	----	----	----	----	----	----
39.5X15-15	----	----	3251R	----	----	----	----	----	----	----
39.5X18X15	----	----	3265R	----	----	----	----	----	----	----
40X17-15	----	----	3251R	----	----	----	----	----	----	----

16-16.5 Inch Rims

LR78-16LT	----	----	2221R / CAM	4221CAM	2821R / CAM	4821R / CAM	2021	----	2437	4412
PR78-16	----	----	3227R / CAM	----	3827CAM	----	3027	----	----	----
QR78-16	----	----	2239CAM	4239CAM	2839R / CAM	----	2039	----	----	----
6.50-16LT	----	1553	2216R / CAM	----	2816R / CAM	----	2016	----	----	----
7.00-16LT	----	----	2219R / CAM	4219CAM	2819R / CAM	4819R / CAM	2019	----	2435	----
7.50-16LT	2524	2324	2221R / CAM	4221CAM	2821R / CAM	4821R / CAM	2021	----	2437	4412
9.00-16LT	----	----	2237R / CAM	----	2837CAM	----	2037	----	----	----
11L16	----	----	3229R / CAM	----	3829CAM	----	3029	----	----	----
P225/70R16	----	1555	2216R / CAM	----	2816R / CAM	----	2016	----	----	----
P225/75R16	2519	2318	2216R / CAM	----	2816R / CAM	----	2016	----	----	----
P235/70R16	----	2319	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
P245/70R16	2518	2319	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
P245/75R16	2524	2323	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
P255/65R16	2517	2319	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
P255/70R16	2524	2324	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
P265/70R16	2524	2324	3210R / CAM	----	3810CAM	----	3010	----	----	----
P265/75R16	2526	2326	3210R / CAM	----	3810CAM	----	3010	----	----	----
P275/60R16	----	----	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
P275/70R16	----	----	2228R / CAM	----	2828R / CAM	----	2028	----	----	----
P285/60R16	----	----	3227R / CAM	----	3827CAM	----	3027	----	----	----
205R16	----	----	2216R / CAM	----	2816R / CAM	----	2016	----	----	----
215/80R16LT	2517	----	2219R / CAM	4219CAM	2819R / CAM	4819R / CAM	2019	----	----	----
215/85R16LT	2517	2317	2219R / CAM	4219CAM	2819R / CAM	4819R / CAM	2019	----	2435	----
225/75R16LT	----	2319	2216R / CAM	----	2816R / CAM	----	2016	----	2435	----
235/70R16LT	2518	----	2229R / CAM	----	2829R / CAM	----	2029	----	2435	----
235/75R16LT	----	2319	2219R / CAM	----	2819R / CAM	----	2019	----	----	----
235/80R16	----	2319	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
235/85R16LT	2521	2321	2221R / CAM	4221CAM	2821R / CAM	4821R / CAM	2021	----	2437	4412
245/70R16LT	----	----	2219R / CAM	----	2819R / CAM	----	2019	----	2435	----
245/75R16LT	2524	2323	2229R / CAM	----	2829R / CAM	----	2029	----	2439	----
245/85R16LT	----	----	3210R / CAM	----	3810CAM	----	3010	----	----	----
255/60R16	----	2319	2216R / CAM	----	2816R / CAM	----	2016	----	----	----
255/65R16LT	2517	2319	2219R / CAM	----	2819R / CAM	----	2019	----	----	----
255/70R16LT	2524	2323	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
255/75R16LT	----	----	2216R / CAM	----	2816R / CAM	----	2016	----	----	----
255/85R16LT	2526	2326	2228R / CAM	4231R / CAM	2828R / CAM	----	2021	----	----	----
265/50R16LT	----	----	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
265/60R16LT	----	----	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
265/70R16LT	2524	2324	3210R / CAM	----	3810CAM	----	3010	----	----	----
265/75R16LT	2526	2326	3210R / CAM	----	3810CAM	----	3010	----	----	----
265/80R16LT	----	----	3210R / CAM	----	3810CAM	----	3010	----	----	----
275/60R16LT	----	----	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
275/65R16LT	----	----	3227R / CAM	----	3827CAM	----	3027	----	----	----
275/70R16LT	----	2324	3210R / CAM	----	3810CAM	----	3010	----	----	----

LIGHT TRUCK & HEAVY TRUCK TIRE CHAIN FIT CHART

THIS TIRE SIZING CHART IS A GUIDE ONLY!

Actual fitments can vary due to dimensional variances in tire manufacturing within size designations.

All tire chains should be pre-fit prior to use.

Tire Size	ALPINE SERIES		HIGHWAY SERVICE		V-BAR/REINFORCED		CABLE		MUD SERVICE	
	Alpine Super Sport Page 16	Alpine Sport Page 16	Singles Regular / Cam Page 18/21	Dual-Triples Regular / Cam Page 20	Singles Regular / Cam Page 19/21	Dual-Triples Regular / Cam Page 20	Singles Page 22	Dual-Triples Page 22	Singles Page 23	Dual-Triples Page 23

16-16.5 Inch Rims Continued

275/75R16	----	2327	3228R / CAM	----	3828CAM	----	----	----	----	----
285/60R16LT	----	----	3227R / CAM	----	3827CAM	----	3027	----	----	----
285/65R16	----	2326	3210R / CAM	----	3810CAM	----	3010	----	----	----
285/70R16LT	----	----	3229R / CAM	----	3829CAM	----	3029	----	----	----
285/75R16LT	2533	----	3228R / CAM	----	3828CAM	----	----	----	2440	----
295/50R16LT	----	----	3210R / CAM	----	3810CAM	----	3010	----	----	----
295/75R16LT	----	----	3229R / CAM	----	3829CAM	----	3029	----	----	----
305/70R16LT	2533	2335	3229R / CAM	----	3829CAM	----	3029	----	----	----
305/85R16LT	----	----	3229R / CAM	----	3829CAM	----	3029	----	----	----
315/75R16LT	2536	2337	3231R / CAM	----	3831CAM	----	2037	----	2441	----
325/80R16	----	----	3251R	----	----	----	----	----	----	----
345/55R16LT	----	----	3231R / CAM	----	3831CAM	----	----	----	----	----
8.75-16LT	----	----	2219R / CAM	4219CAM	2819R / CAM	4819R / CAM	2019	----	----	----
30X9.50-16	----	----	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
31X11.5-16	2524	----	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
31X12.5-16	----	----	3228R / CAM	----	3828CAM	----	----	----	----	----
32X9-16LT	----	----	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
32X10.00-16LT	2517	----	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
32X11.5-16LT	----	----	3227R / CAM	----	3827CAM	----	3027	----	----	----
33X13.5-16	2533	----	3227R / CAM	----	3827CAM	----	3027	----	----	----
34X9X16	----	----	3227R / CAM	----	3827CAM	----	3027	----	----	----
35X12.5X16LT	----	----	3229R / CAM	----	3829CAM	----	2037	----	----	----
35X13.5-16	----	2335	3229R / CAM	----	3829CAM	----	3029	----	----	----
35X14-16	----	----	3235R	----	----	----	----	----	----	----
36X13-16	----	----	3229R / CAM	----	3829CAM	----	3029	----	----	----
37X12.5-16	----	----	3231R / CAM	----	3831CAM	----	----	----	----	----
38X13X16	----	----	3231R / CAM	----	3831CAM	----	----	----	----	----
38X14.5-16	----	----	3251R	----	----	----	----	----	----	----
38.5X16-16	----	----	3265R	----	----	----	----	----	----	----
39.5X15-16	----	----	3265R	----	----	----	----	----	----	----
8.00-16.5	----	1550	2216R / CAM	----	2816R / CAM	----	2016	----	----	----
8.75-16.5LT	----	2318	2219R / CAM	4219CAM	2819R / CAM	4819R / CAM	2019	----	2435	----
9.50-16.5LT	2517	2317	2221R / CAM	4221CAM	2821R / CAM	4821R / CAM	2021	----	2437	4412
10-16.5LT	----	----	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
12-16.5LT	----	----	3227R / CAM	----	3827CAM	----	3027	----	2437	----
31X10.5-16.5LT	----	----	3227R / CAM	----	3827CAM	----	3027	----	----	----
32X12.5-16.5LT	----	----	3229R / CAM	----	3829CAM	----	3029	----	----	----
33X12.50R16.5	----	----	3229R / CAM	----	3829CAM	----	3029	----	----	----
33X15.5-16.5	----	----	3229R / CAM	----	3829CAM	----	3029	----	----	----
36X12.50-16.5	----	----	3235R	----	----	----	----	----	----	----
36X14-16.5	----	----	3235R	----	----	----	----	----	----	----
37X12.5-16.5	----	----	3235R	----	----	----	----	----	----	----
38X12.5X16.5	----	----	3231R / CAM	----	3831CAM	----	----	----	----	----
38X15.5R16.5	----	----	3235R	----	----	----	----	----	----	----
39.5X15-16.5	----	----	3251R	----	----	----	----	----	----	----
39.5X18-16.5	----	----	3265R	----	----	----	----	----	----	----
40X17-16.5	----	----	3251R	----	----	----	----	----	----	----

17-17.5 Inch Rims

7.00-17LT	----	----	2221R / CAM	4221CAM	2821R / CAM	4821R / CAM	2021	----	2437	4412
7.50-17	----	----	2214R / CAM	----	----	----	2014	----	2439	----
P235/60R17	----	2318	2216R / CAM	----	2816R / CAM	----	2016	----	----	----
P235/65R17	----	2319	2216R / CAM	----	2816R / CAM	----	2016	----	----	----
P235/70R17	----	2317	2219R / CAM	4219CAM	2819R / CAM	4819R / CAM	2019	----	----	----
P235/75R17	----	2323	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
P245/55R17	----	----	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
P245/65R17	----	2317	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
P245/70R17	----	2323	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
P255/55R17	----	----	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
P255/60R17	----	2317	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
P255/65R17	----	2323	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
P255/70R17	2524	2321	3210R / CAM	----	3810CAM	----	3010	----	----	----
P255/75R17	2526	2326	----	----	----	----	----	----	----	----
265/60R17	----	2323	3210R / CAM	----	3810CAM	----	3010	----	----	----
P265/65R17	2526	2324	3210R / CAM	----	3810CAM	----	3010	----	----	----
P265/70R17	2526	2326	3210R / CAM	----	3810CAM	----	3010	----	----	----

LIGHT TRUCK & HEAVY TRUCK TIRE CHAIN FIT CHART

THIS TIRE SIZING CHART IS A GUIDE ONLY!

Actual fitments can vary due to dimensional variances in tire manufacturing within size designations. All tire chains should be pre-fit prior to use.

Tire Size	ALPINE SERIES		HIGHWAY SERVICE		V-BAR/REINFORCED		CABLE		MUD SERVICE	
	Alpine Super Sport Page 16	Alpine Sport Page 16	Singles Regular / Cam Page 18/21	Dual-Triples Regular / Cam Page 20	Singles Regular / Cam Page 19/21	Dual-Triples Regular / Cam Page 20	Singles Page 22	Dual-Triples Page 22	Singles Page 23	Dual-Triples Page 23

17-17.5 Inch Rims Continued

P275/60R17	----	2324	2229R / CAM	----	2829R / CAM	----	3010	----	----	----
225/75R17LT	----	2323	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
235/65R17	2517	2319	2216R / CAM	----	2816R / CAM	----	2019	----	----	----
235/80R17	2524	2321	3210R / CAM	----	3810CAM	----	3010	----	2437	4412
245/65R17	----	2317	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
245/70R17LT	----	----	2214R / CAM	----	----	----	2014	----	----	----
245/75R17LT	2521	2321	3210R / CAM	----	3810CAM	----	3010	----	----	----
255/60R17	----	2317	3210R / CAM	----	3810CAM	----	3010	----	----	----
265/70R17LT	2526	2326	3210R / CAM	----	3810CAM	----	3010	----	----	----
265/75R17	----	2326	3210R / CAM	----	3810CAM	----	3010	----	----	----
275/55R17	----	2323	----	----	----	----	2029	----	----	----
275/60R17	----	2324	2229R / CAM	----	2829R / CAM	----	3010	----	----	----
275/65R17	2526	2326	3210R / CAM	----	3810CAM	----	3010	----	----	----
275/70R17	----	----	3229R / CAM	----	3829CAM	----	3029	----	----	----
285/60R17	----	2326	3227R / CAM	----	3827CAM	----	3027	----	----	----
285/70R17	2533	2327	3227R / CAM	----	3827CAM	----	3027	----	2440	----
285/75R17LT	----	2335	3229R / CAM	----	3829CAM	----	3029	----	----	----
295/70R17LT	2536	----	3229R / CAM	----	3829CAM	----	3029	----	----	----
315/70R17LT	2536	----	3231R / CAM	----	3831CAM	----	----	----	----	----
305/45R17	----	----	3227R / CAM	----	3827CAM	----	3027	----	----	----
305/65R17	----	2335	3229R / CAM	----	3829CAM	----	3029	----	----	----
305/70R17	2536	----	3229R / CAM	----	3829CAM	----	3029	----	----	----
325/70R17	----	----	3231R / CAM	----	3831CAM	----	----	----	----	----
345/55R17	----	----	3231R / CAM	----	3831CAM	----	----	----	----	----
355/70R17LT	----	----	3235R	----	----	----	----	----	----	----
33X12.5-17	----	2335	3229R / CAM	----	3829CAM	----	3029	----	----	----
35X12.5-17	----	2337	3231R / CAM	----	3831CAM	----	----	----	----	----
37X12.5-17	----	----	3231R / CAM	----	3831CAM	----	----	----	----	----
37X13.5-17	----	----	3235R	----	----	----	----	----	----	----
7-17.5LT	----	----	2211R / CAM	----	2811R	----	2011	----	----	----
8-17.5	2517	2317	2219R / CAM	4219CAM	2819R / CAM	4819R / CAM	2019	----	2435	----
8.50-17.5	----	----	2219R / CAM	4219CAM	2819R / CAM	4819R / CAM	2019	----	----	----
9R17.5	----	----	2237R / CAM	----	2837CAM	----	2037	----	----	----
10R17.5	----	----	2237R / CAM	----	2837CAM	----	2037	----	----	----
11R17.5	----	----	2239CAM	4239CAM	2839R / CAM	----	2039	----	----	----
14-17.5	----	----	3235R	----	----	----	----	----	----	----
205/60R17.5	----	----	2209R	----	2809R	----	----	----	----	----
215/70R17.5	----	----	2219R / CAM	4219CAM	2819R / CAM	4819R / CAM	2019	----	2435	----
215/75R17.5	2517	----	2221R / CAM	4221CAM	2821R / CAM	4821R / CAM	2021	----	2437	4412
225/70R17.5	----	----	2214R / CAM	----	----	----	2014	----	2439	----
235/75R17.5	2521	----	3210R / CAM	----	3810CAM	----	3010	----	2441	----
245/70R17.5	----	----	3210R / CAM	----	3810CAM	----	3010	----	----	----
245/75R17.5	2524	2321	3210R / CAM	----	3810CAM	----	3010	----	----	----

18 Inch Rims

7.00-18	----	----	2214R / CAM	----	----	----	2014	----	2439	----
7.50-18	----	----	2233CAM	----	----	----	----	----	----	----
10.50/80-18	----	----	3229R / CAM	----	3829CAM	----	3029	----	----	----
P235/50R18	----	----	2219R / CAM	----	2819R / CAM	----	2019	----	----	----
P255/45R18	----	----	2219R / CAM	----	2819R / CAM	----	2019	----	----	----
P255/55R18	----	2317	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
P255/70R18	----	2326	3210R / CAM	----	3810CAM	----	3010	----	----	----
P265/60R18	----	2321	3227R / CAM	----	3827CAM	----	3027	----	----	----
P265/65R18	----	2326	3210R / CAM	----	3810CAM	----	3010	----	----	----
P275/60R18	----	2326	3228R / CAM	----	3828CAM	----	----	----	----	----
P295/45R18	----	2324	----	----	----	----	3010	----	----	----
215/55R18	----	1553	----	----	----	----	2016	----	----	----
225/55R18	----	1555	----	----	----	----	2016	----	----	----
225/65R18	2517	2317	2219R / CAM	----	2819R / CAM	----	2019	----	----	----
235/60R18	----	2319	2219R / CAM	----	2819R / CAM	----	2019	----	----	----
235/65R18	----	2323	2219R / CAM	----	2819R / CAM	----	2019	----	----	----
245/55R18	----	2319	----	----	----	----	----	----	----	----
245/60R18	----	2323	----	----	----	----	3010	----	----	----
255/50R18	----	2319	----	----	----	----	----	----	----	----
255/55R18	----	----	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
255/60R18	----	2324	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
255/65R18	----	2326	3210R / CAM	----	3810CAM	----	3010	----	----	----
255/70R18	----	2326	3210R / CAM	----	3810CAM	----	3010	----	----	----
265/70R18	----	2327	3228R / CAM	----	3828CAM	----	----	----	----	----

LIGHT TRUCK & HEAVY TRUCK TIRE CHAIN FIT CHART

THIS TIRE SIZING CHART IS A GUIDE ONLY!

Actual fitments can vary due to dimensional variances in tire manufacturing within size designations. All tire chains should be pre-fit prior to use.

Tire Size	ALPINE SERIES		HIGHWAY SERVICE		V-BAR/REINFORCED		CABLE		MUD SERVICE	
	Alpine Super Sport Page 16	Alpine Sport Page 16	Singles Regular / Cam Page 18/21	Dual-Triples Regular / Cam Page 20	Singles Regular / Cam Page 19/21	Dual-Triples Regular / Cam Page 20	Singles Page 22	Dual-Triples Page 22	Singles Page 23	Dual-Triples Page 23

18 Inch Rims Continued

275/40ZR18	----	----	----	----	----	----	2029	----	----	----
275/55R18	----	2324	3210R / CAM	----	3810CAM	----	3010	----	----	----
275/65R18	----	2327	3228R / CAM	----	3828CAM	----	3027	----	----	----
275/70R18	2533	----	3229R / CAM	----	3829CAM	----	3029	----	----	----
285/60R18	----	2327	3227R / CAM	----	3827CAM	----	3027	----	----	----
285/65R18	2533	2327	3227R / CAM	----	3827CAM	----	3029	----	----	----
285/70R18	----	2335	----	----	----	----	----	----	----	----
285/75R18LT	2536	2335	3229R / CAM	----	3829CAM	----	3029	----	----	----
295/70R18LT	2536	----	3229R / CAM	----	3829CAM	----	3029	----	----	----
305/60R18	----	----	3231R / CAM	----	3831CAM	----	----	----	----	----
305/70R18LT	----	----	3231R / CAM	----	3831CAM	----	----	----	----	----
325/60R18	----	2337	3229R / CAM	----	3829CAM	----	3029	----	----	----
325/65R18	----	----	3231R / CAM	----	3831CAM	----	----	----	----	----
355/65R18	----	----	3251R	----	----	----	----	----	----	----
33X12.5-18	----	2335	3229R / CAM	----	3829CAM	----	3029	----	----	----
33X13-18	----	2337	3229R / CAM	----	3829CAM	----	3029	----	----	----
35X12.5-18	----	----	3231R / CAM	----	3831CAM	----	----	----	----	----
37X13.5-18	----	----	3235R	----	----	----	----	----	----	----
38X15.5-18	----	----	3265R	----	----	----	----	----	----	----

19-19.5 Inch Rims

225/55R19	----	2317	----	----	----	----	2019	----	----	----
235/50R19	----	2317	----	----	----	----	----	----	----	----
235/55R19	----	2317	2229R / CAM	----	2829R / CAM	----	2029	----	----	----
245/45ZR19	----	1555	----	----	----	----	2016	----	----	----
245/50R19	----	2317	----	----	----	----	2029	----	----	----
245/55R19	----	2323	2219R / CAM	----	2819R / CAM	----	2019	----	----	----
255/45R19	----	2319	----	----	----	----	----	----	----	----
255/50R19	----	2323	----	----	----	----	2029	----	----	----
255/55R19	----	2324	----	----	----	----	----	----	----	----
P255/60R19	----	2326	----	----	----	----	3010	----	----	----
265/50R19	----	2324	3210R / CAM	----	3810CAM	----	3010	----	----	----
275/40ZR19	----	----	----	----	----	----	2029	----	----	----
275/45R19	----	----	----	----	----	----	3010	----	----	----
275/55R19	----	2326	3210R / CAM	----	3810CAM	----	3010	----	----	----
285/45R19	----	----	3227R / CAM	----	3827CAM	----	3027	----	----	----
8-19.5	2526	2326	2214R / CAM	4310CAM	----	----	2014	----	2439	----
15-19.5	----	----	3265R	----	----	----	----	----	----	----
225/70R19.5	2526	----	3210R / CAM	4310CAM	3810CAM	----	3010	----	2439	----
245/70R19.5	----	----	2228R / CAM	4231R / CAM	2828R / CAM	----	2028	----	2439	----
265/70R19.5	----	----	2233CAM	----	2833CAM	----	----	----	----	----
285/70R19.5	----	----	3235R	----	----	----	2037	----	----	----
445/65R19.5	----	----	3271R / CAM	----	----	----	----	----	----	----

20-21 Inch Rims

6.5-20	----	----	2233CAM	----	2833CAM	----	----	----	----	----
7.00-20	----	----	2233CAM	----	2833CAM	----	----	----	----	----
7.50-20	----	----	2237R / CAM	----	2837CAM	----	2037	----	2441	----
8.25-20	----	----	2239CAM	4239CAM	2839R / CAM	----	2039	----	2441	----
9.00-20	----	----	2241R / CAM	4241CAM	2841R / CAM	4841CAM	2041	4041	2445	----
10.00-20	----	----	2245R / CAM	4245R / CAM	2845R / CAM	4845R / CAM	2045	4045	2448	4448
11.00-20	----	----	2251R / CAM	4251CAM	2851R / CAM	4851R	----	----	2452	4461
12.00-20	----	----	2255R / CAM	4255R	2855R	4855R	----	----	2486	4486
13.00-20	----	----	----	4257R	----	----	----	----	----	----
13/80R20	----	----	2255R / CAM	4255R	2855R	4855R	----	----	2486	4486
14.00-20	----	----	----	----	2871R	----	----	----	----	----
14/80R20	----	----	----	4257R	----	----	----	----	----	----
235/55R20	----	2324	----	----	----	----	2029	----	----	----
245/45R20	----	----	----	----	----	----	2029	----	----	----
245/50R20	----	2323	----	----	----	----	2029	----	----	----
245/60R20	2521	2321	3210R / CAM	----	3810CAM	----	3010	----	----	----
255/45R20	----	----	----	----	----	----	2029	----	----	----
255/50R20	----	2324	----	----	----	----	3010	----	----	----
255/55R20	2521	2326	----	----	----	----	3010	----	----	----
265/45R20	----	2323	----	----	----	----	2029	----	----	----
265/50R20	----	2326	----	----	----	----	3010	----	----	----
265/60R20	----	2326	3210R / CAM	----	3810CAM	----	3010	----	----	----
275/40R20	----	----	----	----	----	----	3010	----	----	----
275/45R20	----	2324	----	----	----	----	3010	----	----	----
275/50R20	----	2326	3228R / CAM	----	3828CAM	----	----	----	----	----
275/55R20	2533	2327	2228R / CAM	----	2828R / CAM	----	3027	----	----	----
P275/60R20	2533	----	2228R / CAM	----	2828R / CAM	----	2028	----	----	----

LIGHT TRUCK & HEAVY TRUCK TIRE CHAIN FIT CHART

THIS TIRE SIZING CHART IS A GUIDE ONLY!

Actual fitments can vary due to dimensional variances in tire manufacturing within size designations. **All tire chains should be pre-fit prior to use.**

Tire Size	ALPINE SERIES		HIGHWAY SERVICE		V-BAR/REINFORCED		CABLE		MUD SERVICE	
	Alpine Super Sport Page 16	Alpine Sport Page 16	Singles Regular / Cam Page 18/21	Dual-Triples Regular / Cam Page 20	Singles Regular / Cam Page 19/21	Dual-Triples Regular / Cam Page 20	Singles Page 22	Dual-Triples Page 22	Singles Page 23	Dual-Triples Page 23

20-21 Inch Rims Continued

275/60R20	2533	-----	3227R / CAM	-----	3827CAM	-----	3027	-----	-----	-----
275/65R20LT	2536	2335	3229R / CAM	-----	3829CAM	-----	3029	-----	-----	-----
P285/50R20	-----	2327	3227R / CAM	-----	3827CAM	-----	3027	-----	-----	-----
285/55R20LT	2537	2335	3229R / CAM	-----	3829CAM	-----	3029	-----	-----	-----
285/60R20	-----	2335	3229R / CAM	-----	3829CAM	-----	3029	-----	-----	-----
285/65R20	-----	-----	3231R / CAM	-----	3831CAM	-----	-----	-----	-----	-----
295/40R20	-----	-----	-----	-----	-----	-----	3010	-----	-----	-----
295/45R20	-----	-----	-----	-----	-----	-----	2028	-----	-----	-----
295/55R20	2536	2335	3229R / CAM	-----	3829CAM	-----	3029	-----	-----	-----
295/60R20	-----	2335	-----	-----	-----	-----	-----	-----	-----	-----
295/65R20	-----	-----	3231R / CAM	-----	3831CAM	-----	-----	-----	-----	-----
305/50R20	-----	2335	3229R / CAM	-----	3829CAM	-----	3029	-----	-----	-----
305/55R20	2536	2337	3229R / CAM	-----	3829CAM	-----	3029	-----	-----	-----
325/60R20	-----	-----	3231R / CAM	-----	3831CAM	-----	-----	-----	-----	-----
355/80R20	-----	-----	3255R / CAM	-----	-----	-----	3055	-----	-----	-----
365/80R20	-----	-----	-----	4257R	-----	-----	-----	-----	-----	-----
32X11.50-20	2537	2335	3229R / CAM	-----	3829CAM	-----	3029	-----	-----	-----
33X12.5-20	2536	2335	3229R / CAM	-----	3829CAM	-----	3029	-----	-----	-----
34X10.5-20	2536	2335	-----	-----	-----	-----	-----	-----	-----	-----
35X12.5-20	-----	-----	3231R / CAM	-----	3831CAM	-----	-----	-----	-----	-----
37X12.50-20	-----	-----	3235R	-----	-----	-----	-----	-----	-----	-----
37X13.50-20	-----	-----	3251R	-----	-----	-----	-----	-----	-----	-----
38X15.5-20	-----	-----	3265R	-----	-----	-----	-----	-----	-----	-----
275/45R21	-----	2326	3228R / CAM	-----	3828CAM	-----	-----	-----	-----	-----

22-22.5 Inch Rims

265/40R22	-----	-----	-----	-----	-----	-----	3010	-----	-----	-----
285/40R22	-----	-----	-----	-----	-----	-----	2028	-----	-----	-----
285/45R22	-----	2327	-----	-----	-----	-----	2028	-----	-----	-----
285/50R22	-----	2335	3229R / CAM	-----	3829CAM	-----	3029	-----	-----	-----
305/40R22	-----	2327	-----	-----	-----	-----	3029	-----	-----	-----
305/45R22	-----	2335	-----	-----	-----	-----	3029	-----	-----	-----
325/50R22LT	-----	-----	3231R / CAM	-----	3831CAM	-----	-----	-----	-----	-----
10.00-22	-----	-----	2249R / CAM	4249R / CAM	2849R / CAM	4849R / CAM	2049	4049	2452	4461
11.00-22	-----	-----	2255R / CAM	4255R	2855R	4855R	-----	-----	2486	4486
33X11.5-22	-----	2335	3229R / CAM	-----	3829CAM	-----	3029	-----	-----	-----
35X12.5-22	-----	-----	3231R / CAM	-----	3831CAM	-----	-----	-----	-----	-----
37X13.50-22	-----	-----	3251R	-----	-----	-----	-----	-----	-----	-----
8-22.5	-----	-----	2237R / CAM	-----	2837CAM	-----	2037	-----	-----	-----
9-22.5	-----	-----	2239CAM	4239CAM	2839R / CAM	-----	2039	-----	2441	-----
10-22.5	-----	-----	2241R / CAM	4241CAM	2841R / CAM	4841CAM	2041	4041	2445	-----
11-22.5	-----	-----	2245R / CAM	4245R / CAM	2845R / CAM	4845R / CAM	2045	4045	2448	4448
12-22.5	-----	-----	2251R / CAM	4251CAM	2851R / CAM	4851R	2049	4049	2452	4461
12.5-22.5	-----	-----	2251R / CAM	4251CAM	2851R / CAM	4851R	2049	4049	-----	-----
13-22.5	-----	-----	3255R / CAM	-----	-----	-----	3055	-----	-----	-----
15-22.5	-----	-----	3255R / CAM	-----	-----	-----	3055	-----	-----	-----
16.5-22.5	-----	-----	3271R / CAM	-----	-----	-----	-----	-----	-----	-----
18-22.5	-----	-----	3261R	-----	-----	-----	-----	-----	-----	-----
235/80R22.5	-----	-----	2237R / CAM	-----	2837CAM	-----	2037	-----	2441	-----
245/75R22.5	-----	-----	2239CAM	4239CAM	2839R / CAM	-----	2039	-----	2441	-----
255/70R22.5	-----	-----	2237R / CAM	-----	2837CAM	-----	2037	-----	2441	-----
255/80R22.5	-----	-----	2241R / CAM	4241CAM	2841R / CAM	4841CAM	2041	4041	2441	-----
265/75R22.5	-----	-----	2241R / CAM	4241CAM	2841R / CAM	4841CAM	2041	4041	2445	-----
275/70R22.5	-----	-----	2239CAM	4239CAM	2839R / CAM	-----	2039	-----	2448	4448
275/80R22.5	-----	-----	2245R / CAM	4245R / CAM	2845R / CAM	4845R / CAM	2041	4041	2452	4461
295/60R22.5	-----	-----	3231R / CAM	-----	3831CAM	-----	-----	-----	-----	-----
295/75R22.5	-----	-----	2247R / CAM	4247R / CAM	2847R / CAM	4847CAM	2041	4041	2452	4461
295/80R22.5	-----	-----	2251R / CAM	4251CAM	2851R / CAM	4851R	-----	-----	-----	-----
305/70R22.5	-----	-----	2247R / CAM	4247R / CAM	2847R / CAM	4847CAM	2041	4041	-----	-----
315/80R22.5	-----	-----	2255R / CAM	4255R	2855R	4855R	-----	-----	2486	4486
385/65R22.5	-----	-----	3255R / CAM	-----	-----	-----	3055	-----	-----	-----
425/65R22.5	-----	-----	3271R / CAM	-----	-----	-----	3069	-----	-----	-----
445/50R22.5	-----	-----	3269R / CAM	-----	-----	-----	3069	-----	-----	-----
445/65R22.5	-----	-----	3261R	-----	-----	-----	-----	-----	-----	-----
455/55R22.5	-----	-----	3269R / CAM	-----	-----	-----	3069	-----	-----	-----

24-24.5 Inch Rims

12.00-24	-----	-----	-----	4257R	-----	-----	-----	-----	-----	-----
11-24.5	-----	-----	2249R / CAM	4249R / CAM	2849R / CAM	4849R / CAM	2049	4049	2452	4461
12-24.5	-----	-----	2255R / CAM	4255R	2855R	4855R	-----	-----	2486	4486
275/80R24.5	-----	-----	2247R / CAM	4247R / CAM	2847R / CAM	4847CAM	2045	4045	2452	4461
285/75R24.5	-----	-----	2247R / CAM	4247R / CAM	2847R / CAM	4847CAM	2045	4045	2452	4461

Laclede's Alpine Sport and Super Sport feature a quick mounting design with a diamond pattern cross chain configuration for maximum traction. Convenient installation without lifting or moving the vehicle.

"Easy on, Easy off"

- Superior traction and lateral stability with a smooth ride
- Built-in tightening device, no extra adjuster needed
- Square link cross chains for even wear
- All connections in front of the tire for easy access



Alpine Sport™

The ultimate traction device for Sport Utility and Light Trucks

- Meets SAE Class S wheel well requirements
- Constructed with 3.8mm diamond pattern cross chain
- Fit charts on page 16

Alpine Super Sport™

Developed for Commercial vehicle applications and off road use

- Extra heavy duty 4.6mm diamond pattern cross chain
- Fit charts on page 16



Scan for more information
on Alpine Series Chains

ALPINE SPORT (MEETS SAE CLASS S REQUIREMENTS)

Tire Sizes						Stock No.	Weight Per Pair
P215/70R15	P215/75R15	215/75R15LT	8.00-16.5			1550	12
P225/75R15	6.50-16LT					1553	13
7.00-15LT	235/75R15LT	P225/75R16	225/65R17	235/50ZR18	235/45R19	2318	15
P235/75R15	P245/70R15	8.75-16.5	P235/60R17	245/50R18			
265/70R15LT	P235/70R17	P255/60R17	225/65R18	235/50R19		2317	15
215/85R16LT	P245/65R17	255/60R17	P255/55R18	235/55R19			
9.50-16.5LT	245/65R17	8-17.5	225/55R19	245/50R19			
P255/70R15	P245/70R16	235/80R16	235/65R17	255/45R19		2319	15
P275/60R15	P255/65R16	255/60R16	235/60R18				
30X9.50-15LT	225/75R16LT	255/65R16LT	245/55R18				
P235/70R16	235/75R16LT	P235/65R17	255/50R18				
P255/75R15	P265/75R15	235/85R16LT	245/75R17LT	245/75R17.5	245/60R20	2321	15
255/75R15LT	265/75R15LT	235/80R17	P255/70R17	P265/60R18			
P265/70R15	255/70R16LT	P245/70R17	275/55R17	245/55R19	265/45R20	2323	16
P245/75R16	225/75R17LT	P255/65R17	235/65R18	255/50R19			
245/75R16LT	P235/75R17	265/60R17	245/60R18	245/50R20			
245/85R15LT	P255/70R16	P265/65R17	275/55R18	265/50R19	255/50R20	2324	16
31X10.5-15LT	P265/70R16	P275/60R17	P295/45R18	235/55R20	275/45R20		
31X11.50-15LT	265/70R16LT	275/60R17	255/55R19				
7.50-16LT	275/70R16LT	255/60R18					
32X11.50-15LT	285/65R16	275/65R17	P265/65R18	P255/55R20		2326	16
33X9.50-15	P255/75R17	285/60R17	P275/60R18	265/50R20			
P265/75R16	P265/70R17	255/65R18	P255/60R19	265/60R20			
255/85R16LT	265/70R17LT	P255/70R18	275/55R19	275/50R20			
265/75R16LT	265/75R17	255/70R18	8-19.5	275/45R21			
285/75R15	275/75R16	265/70R18	285/60R18	275/55R20	285/45R22	2327	17
33X10.5-15	285/70R17	275/65R18LT	285/65R18LT	P285/50R20	305/40R22		
305/70R16LT	33X12.50-17	275/65R20LT	295/60R20	34X10.5-20		2335	18
35X13.50-16	285/70R18	285/55R20LT	305/50R20	285/50R22			
285/75R17LT	285/75R18LT	285/60R20	32X11.50-20	305/45R22			
305/65R17	33X12.5-18	295/55R20	33X12.5-20	33X11.5-22			
33X14.50-15	315/75R16LT	325/60R18	305/55R20			2337	18
35X14.50-15	35X12.50-17	33X13-18					

ALPINE SUPER SPORT

Tire Sizes						Stock No.	Weight Per Pair
P255/70R15	30X9.50-15LT	215/85R16LT	9.50-16.5LT	215/75R17.5		2517	22
P265/70R15	P255/65R16	255/65R16LT	235/65R17	225/65R18			
P275/60R15	215/80R16LT	32X10.00-16LT	8-17.5				
235/75R15LT	31X9.50R15	P245/70R16	235/70R16LT			2518	22
7.00-15LT	7.50-15LT	P235/75R15	P225/75R16			2519	21
P255/75R15	235/85R16LT	245/75R17LT	235/75R17.5	245/60R20	P255/55R20	2521	24
NR78-15	P245/75R16	245/75R16LT	31X11.50-16	245/75R17.5		2524	23
31X10.50-15LT	P255/70R16	255/70R16LT	P255/70R17				
7.50-16LT	P265/70R16	265/70R16LT	235/80R17				
32X11.50-15LT	P265/75R16	265/75R16LT	P265/65R17	265/70R17LT	8-19.5	2526	23
33X9.50-15LT	255/85R16LT	P255/75R17	P265/70R17	275/65R17	225/70R19.5		
285/75R15	305/70R16LT	285/70R17	285/65R18LT	275/55R20		2533	24
285/75R16LT	33X13.50-16	275/70R18LT	P275/60R20	275/60R20			
35X12.5X15	295/70R17LT	315/70R17	295/70R18LT	295/55R20	33X12.5-20	2536	26
315/75R16	305/70R17	285/75R18LT	275/65R20LT	305/55R20	34X10.5-20		
285/55R20LT	32X11.50-20					2537	27

Laclede™ Heavy Truck Hoop Chains

- Constructed for long life and easy installation and removal with hoop design
- Built with diamond pattern alloy cross chain
- Case hardened 6 cam side chain

LACLEDE™ HEAVY TRUCK HOOP CHAIN

Tire Sizes	Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Replacement Cross Chain
225/70R19.5	3502	34	8	3718
245/70R19.5 265/70R19.5	3512	35	8	3718
275/70R22.5	3524	38	8	3720
9.00R20 10.00R22.5	3532	37	8	3718
275/80R22.5 295/75R22.5	3534	39	8	3720
10.00R20 11.00R22.5 275/80R24.5 285/75R24.5	3536	41	8	3722
10.00R22 11.00R24.5	3544	39	8	3720



Truck version features 5.5mm square link alloy cross chain

Laclede™ Studded Chains & Extra-Durable Chains



- Hardened alloy cross and side chain
- Boomer hook outside fastener
- Available in regular or cam side chain and in single and dual triple applications



Studded Cross Chain



Boomer Hook

LACLEDE™ 7MM STUDED TRUCK CHAIN

		Singles				Dual-Triples				
Tire Sizes		Non-Cam Stock No.	Cam Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Non-Cam Stock No.	Cam Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Replacement Cross Chain
10.00-22	11-24.5	7249R	7249CAM	54/57	14	7449R	7449CAM	98/104	28	7253

LACLEDE™ 8MM STUDED TRUCK CHAIN

		Singles				Dual-Triples				
Tire Sizes		Non-Cam Stock No.	Cam Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Non-Cam Stock No.	Cam Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Replacement Cross Chain
10.00-22	11-24.5	8249R	8249CAM	81/83	14	8449R	8449CAM	148/153	28	8253



LACLEDE™ EXTRA DURABLE CAM TRUCK CHAIN

- Heavy duty alloy cross chains
- Recommended for long haul carriers / Used by many major fleets
- Three times the wear of standard low carbon chains


				Singles			Dual-Triples			
Tire Sizes				Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Replacement Cross Chain
9.00-20	10-22.5	265/75R22.5		2241XDLG	54	14	N/A	N/A	N/A	7468
10.00-20	11-22.5	275/70R22.5	275/80R22.5	2245XDLG	56	15	4245XDLG	104	30	7468
295/75R22.5	305/70R22.5	275/80R24.5	285/75R24.5	2247XDLG	55	14	4247XDLG	101	28	7469
10.00-22	11-24.5			2249XDLG	62	15	4249XDLG	115	30	7470
445/50R22.5	455/55R22.5			3269XDLG	71	13	N/A	N/A	N/A	7475

Additional specifications on page 42

Laclede™ Single Truck Chains



- Twist link cross chain
- Recommended for highway use
- Available in regular or cam side chain



Available with CAM Side Chain

LACLEDE™ SINGLE TRUCK HIGHWAY SERVICE CHAINS

Tire Sizes					Non-Cam Stock No.	Cam Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Replacement Cross Chain
7.00-14LT	P205/75R14	28X8.50-14			2209R	N/A	19	11	6219
185-14	195/75R14LT	205/60R17.5							
H70-14ST	H78-15ST	6.70-15LT	P215/75R15	7-17.5LT	2211R	2211CAM	23	13	6219
H78-14ST	LR78-15	7.00-15LT	195/75R15LT						
215/75R14LT	P235/75R15	P225/70R16	255/60R16	P235/65R17	2216R	2216CAM	22	12	6221
9-14.5MH	215/75R15LT	P225/75R16	255/75R16LT	235/65R17					
H78-15LT	30X9.50-15	205R16	8.00-16.5						
P225/75R15	6.50-16LT	225/75R16LT	P235/60R17						
7.00-15TR	245/75R15LT	235/75R16LT	8-17.5	P255/45R18	2219R	2219CAM	24	13	6221
7.50-15LT	7.00-16LT	245/70R16LT	8.50-17.5	225/65R18					
P275/60R15	8.75-16LT	255/65R16LT	215/70R17.5	235/60R18					
235/75R15LT	215/80R16LT	8.75-16.5	P235/50R18	235/65R18					
245/70R15LT	215/85R16LT	P235/70R17		245/55R19					
NR78-15	LR78-16	9.50-16.5			2221R	2221CAM	26	14	6221
7.50-15TR	7.50-16LT	7.00-17LT							
275/60R15LT	235/85R16LT	215/75R17.5							
7.50-17	245/70R17LT	225/70R17.5	7.00-18	8-19.5	2214R	2214CAM	28	15	6221
P245/65R15	P245/75R16	265/60R16LT	P245/65R17	P255/55R18					
P245/70R15	P255/65R16	275/60R16LT	P245/70R17	255/55R18	2229R	2229CAM	24	12	6225
P255/70R15	P255/70R16	30X9.50-16LT	P255/55R17	255/60R18					
P265/70R15	P275/60R16	31X11.50-16	P255/60R17	235/55R19					
P265/75R15	235/70R16LT	32X9-16LT	P255/65R17						
255/75R15LT	235/80R16	32X10.00-16LT	P275/60R17						
29X9.50-15	245/75R16LT	10-16.5LT	225/75R17LT						
P235/70R16	255/70R16LT	P235/75R17	245/65R17						
P245/70R16	265/50R16LT	P245/55R17	275/60R17						
8.25-15TR	P275/70R16	245/70R19.5	275/55R20		2228R	2228CAM	27	14	6225
285/75R15	255/85R16LT	P275/60R20							
7.50-18	265/70R19.5	6.50-20	7.00-20		N/A	2233CAM	38	11	6251
9.00-15TR	9R17.5	7.50-20	235/80R22.5	255/70R22.5	2237R	2237CAM	40	12	6251
9.00-16LT	10R17.5	8-22.5							
10-15TR	11R17.5	9-22.5	275/70R22.5		N/A	2239CAM	44	13	6251
QR78-16	8.25-20	245/75R22.5							
9.00-20	10-22.5	255/80R22.5	265/75R22.5		2241R	2241CAM	46	14	6251
10.00-20	11-22.5	275/80R22.5			2245R	2245CAM	49	15	6251
295/75R22.5	305/70R22.5	275/80R24.5	285/75R24.5		2247R	2247CAM	48	14	6253
10.00-22	11-24.5				2249R	2249CAM	53	15	6253
11.00-15TR	11.00-20	12-22.5	12.5-22.5	295/80R22.5	2251R	2251CAM	62	14	6260
12.00-20	13/80R20	11.00-22	315/80R22.5	12-24.5	2255R	2255CAM	67	14	6263

Additional specifications on page 41

Laclede™ Reinforced Truck Chains



- Reinforced cross chain for increased traction and wear
- Recommended for off-road use
- Available in regular or cam side chain



Available with CAM Side Chain

LACLEDE™ REINFORCED SINGLE TRUCK CHAINS

Tire Sizes					Non-Cam Stock No.	Cam Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Replacement Cross Chain
7.00-14LT	P205/75R14	28X8.50-14			2809R	N/A	21	11	6819
185-14	195/75R14LT	205/60R17.5							
H70-14ST	H78-15ST	6.70-15LT	P215/75R15	7-17.5LT	2811R	N/A	26	13	6819
H78-14ST	LR78-15	7.00-15LT	195/75R15LT						
215/75R14LT	P235/75R15	P225/70R16	255/60R16	P235/65R17	2816R	2816CAM	25	12	6821
9-14.5MH	215/75R15LT	P225/75R16	255/75R16LT	235/65R17					
H78-15LT	30X9.50-15	205R16	8.00-16.5						
P225/75R15	6.50-16LT	225/75R16LT	P235/60R17						
7.00-15TR	245/75R15LT	235/75R16LT	8-17.5	225/65R18	2819R	2819CAM	25	13	6821
7.50-15LT	7.00-16LT	245/70R16LT	8.50-17.5	235/60R18					
P275/60R15	8.75-16LT	255/65R16LT	215/70R17.5	235/65R18					
235/75R15LT	215/80R16LT	8.75-16.5	P235/50R18	245/55R19					
245/70R15LT	215/85R16LT	P235/70R17	P255/45R18						
NR78-15	LR78-16	9.50-16.5			2821R	2821CAM	27	14	6821
7.50-15TR	7.50-16LT	7.00-17LT							
275/60R15LT	235/85R16LT	215/75R17.5							
P245/65R15	P245/70R16	255/70R16LT	10-16.5LT	P275/60R17	2829R	2829CAM	26	12	6825
P245/70R15	P245/75R16	265/50R16LT	P235/75R17	225/75R17LT					
P255/70R15	P255/65R16	265/60R16LT	P245/55R17	245/65R17					
P265/70R15	P255/70R16	275/60R16LT	P245/65R17	275/60R17					
P265/75R15	P275/60R16	30X9.50-16LT	P245/70R17	P255/55R18					
255/75R15LT	235/70R16LT	31X11.50-16	P255/55R17	255/55R18					
29X9.50-15	235/80R16	32X9-16LT	P255/60R17	255/60R18					
P235/70R16	245/75R16LT	32X10.00-16LT	P255/65R17	235/55R19					
8.25-15TR	P275/70R16	245/70R19.5	P275/60R20		2828R	2828CAM	30	14	6825
285/75R15	255/85R16LT		275/55R20						
9.00-15TR	9R17.5	7.50-20	235/80R22.5	255/70R22.5	N/A	2837CAM	44	12	6822
9.00-16LT	10R17.5	8-22.5							
10-15TR	11R17.5	9-22.5	275/70R22.5		2839R	2839CAM	47	13	6822
QR78-16	8.25-20	245/75R22.5							
9.00-20	10-22.5	255/80R22.5	265/75R22.5		2841R	2841CAM	51	14	6822
10.00-20	11-22.5	275/80R22.5			2845R	2845CAM	54	15	6822
295/75R22.5	305/70R22.5	275/80R24.5	285/75R24.5		2847R	2847CAM	54	14	6853
10.00-22	11-24.5				2849R	2849CAM	57	15	6853
11.00-15TR	11.00-20	12-22.5	12.5-22.5	295/80R22.5	2851R	2851CAM	68	14	6860
12.00-20	13/80R20	11.00-22	315/80R22.5	12-24.5	2855R	N/A	71	14	6863

Additional specifications on page 41

Laclede™ Dual-Triple Truck Chains



- Twist link case hardened cross chain
- Recommended for highway use
- Available in regular or cam side chain



Available with CAM Side Chain

LACLEDE™ DUAL-TRIPLE TRUCK CHAINS

Tire Sizes					Non-Cam Stock No.	Cam Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Replacement Cross Chain
7.00-15TR	8.75-16LT	8.75-16.5	8.50-17.5		N/A	4219CAM	44	26	6221
7.50-15LT	215/80R16LT	P235/70R17	215/70R17.5						
7.00-16LT	215/85R16LT	8-17.5							
NR78-15	LR78-16LT	235/85R16LT	7.00-17LT		N/A	4221CAM	49	28	6221
7.50-15TR	7.50-16LT	9.50-16.5	215/75R17.5						
8-19.5	225/70R19.5								
8.25-15TR	255/85R16LT	245/70R19.5			4231R	4231CAM	51	28	6225
10.00-15TR	11R17.5	9-22.5	275/70R22.5		N/A	4239CAM	84	26	6251
QR78-16	8.25-20	245/75R22.5							
9.00-20	10-22.5	255/80R22.5	265/75R22.5						
10.00-20	11-22.5	275/80R22.5			4245R	4245CAM	90	30	6251
295/75R22.5	305/70R22.5	275/80R24.5	285/75R24.5		4247R	4247CAM	89	28	6253
10.00-22	11-24.5				4249R	4249CAM	92	30	6253
11.00-15TR	11.00-20	12-22.5	12.5-22.5	295/80R22.5	N/A	4251CAM	113	28	6260
12.00-20	13/80R20	11.00-22	315/80R22.5	12-24.5					
13.00-20	14/80R20	365/80R20	12.00-24						
					4257R	N/A	134	32	6263

Additional specifications on page 42



- Reinforced cross chain for increased traction and wear
- Recommended for off-road use
- Available in regular or cam side chain



Available with CAM Side Chain

LACLEDE™ REINFORCED DUAL-TRIPLE TRUCK CHAINS

Tire Sizes					Non-Cam Stock No.	Cam Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Replacement Cross Chain
7.00-15TR	8.75-16LT	8.75-16.5	8.50-17.5		4819R	4819CAM	49	26	6821
7.50-15LT	215/80R16LT	P235/70R17	215/70R17.5						
7.00-16LT	215/85R16LT	8-17.5							
NR78-15	LR78-16LT	235/85R16LT	7.00-17LT		4821R	4821CAM	53	28	6821
7.50-15TR	7.50-16LT	9.50-16.5	215/75R17.5						
9.00-20	10-22.5	255/80R22.5	265/75R22.5						
10.00-20	11-22.5	275/80R22.5			4845R	4845CAM	99	30	6822
295/75R22.5	305/70R22.5	275/80R24.5	285/75R24.5		N/A	4847CAM	102	28	6853
10.00-22	11-24.5				4849R	4849CAM	104	30	6853
11.00-15TR	11.00-20	12-22.5	12.5-22.5	295/80R22.5	4851R	N/A	118	28	6860
12.00-20	13/80R20	11.00-22	315/80R22.5	12-24.5					
					4855R	N/A	124	28	6863

Additional specifications on page 42

Laclede™ Wide Base Truck Chains

Designed for use on most 4-wheel drive vehicles and super single tires



Wide Base Singles
Regular Twist Link Cross Chain



Reinforced Wide Base Singles
Reinforced Cross Chain with CAM Side Chain



Available with CAM Side Chain

LACLEDE™ WIDE BASE SINGLE & REINFORCED TRUCK CHAINS

Note: 3255CAM, 3269CAM & 3271CAM
feature six cam side chain

Tire Sizes			Non-Cam Stock No.	Cam Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Replacement Cross Chain	V-Bar Cam Stock. No.	Weight Per Pair	Replacement Cross Chain
8.25-15LT	275/70R16LT	235/75R17.5	3210R	3210CAM	26	13	6225	3810CAM	31	6825
10-15LT	285/65R16	245/70R17.5								
265/70R15LT	295/50R16LT	245/75R17.5								
265/75R15LT	235/80R17	255/65R18								
305/50R15	245/75R17LT	P255/70R18								
31X10.50-15LT	255/60R17	P265/65R18								
33X10.50-15	P255/70R17	255/70R18								
P265/70R16	P265/65R17	275/55R18								
P265/75R16	P265/70R17	265/50R19								
245/85R16LT	265/60R17	275/55R19								
265/70R16LT	265/70R17LT	225/70R19.5								
265/75R16LT	265/75R17	245/60R20								
265/80R16LT	275/65R17	265/60R20								
PR78-15	275/65R16LT	305/45R17	3227R	3227CAM	36	10	6253	3827CAM	41	6853
11-15LT	285/60R16LT	P265/60R18								
31X11.50-15LT	32X11.50-16LT	285/60R18								
32X11.50-15LT	33X13.50-16	285/65R18LT								
33X9.50-15LT	34X9-16	285/45R19								
33X13.50-15	12-16.5LT	275/60R20								
34X9.50-15LT	31X10.50-16.5LT	P285/50R20								
PR78-16	285/60R17									
P285/60R16	285/70R17									
275/75R16	265/70R18	275/50R20								
285/75R16LT	P275/60R18	275/45R21								
31X12.50-16	275/65R18									
12-15LT	35X12.5-16	295/70R18LT	3229R	3229CAM	39	10	6259	3829CAM	44	6834
P315/70R15	35X13.5-16	325/60R18								
325/60R15	36X13-16	33X12.5-18								
31X13.5-15	32X12.50-16.5LT	33X13-18								
32X12.50-15	33X12.5-16.5	275/65R20LT								
33X12.50R15	33X15.5-16.5	285/55R20LT								
33X14-15	275/70R17	285/60R20								
33X14.50-15	285/75R17LT	295/55R20								
35X12.50-15	295/70R17LT	305/50R20								
35X14.5-15	305/65R17	305/55R20								
11L16	305/70R17	32X11.50-20								
285/70R16LT	33X12.50-17	33X12.5-20								
295/75R16LT	10.50/80R18	285/50R22								
305/70R16LT	275/70R18LT	33X11.5-22								
305/85R16LT	285/75R18LT									
QR78-15	315/70R17LT	35X12.5-18	3231R	3231CAM	42	11	6259	3831CAM	47	6834
35X13.5-15	325/70R17	285/65R20								
37X13-15	345/55R17	295/65R20								
315/75R16LT	35X12.50-17	325/60R20								
345/55R16LT	37X12.50-17	35X12.50-20								
37X12.50-16	305/60R18	325/50R22LT								
38X13-16	305/70R18LT	35X12.5-22								
38X12.50-16.5	325/65R18	295/60R22.5								
35X14-15	36X14-16.5	14-17.5								
36X12.50-15	37X12.5-16.5	37X13.5-18								
37X13.50-15	38X15.5-16.5	285/70R19.5								
35X14-16	355/70R17LT	37X12.50-20								
36X12.5-16.5	37X13.5-17									
37X14.50-15	38X14.50-16	37X13.50-20	3251R	N/A	45	10	6267	N/A	N/A	N/A
39.5X15-15	39.5X15-16.5	37X13.50-22								
40X17-15	40X17-16.5									
325/80R16	355/65R18									
355/80R20	15-22.5									
13-22.5	385/65R22.5									
18-22.5	445/65R22.5									
38.5X16-15	39.5X15-16	15-19.5								
39.5X18-15	39.5X18-16.5	38X15.50-20								
38.5X16-16	38X15.5-18									
445/50R22.5	455/55R22.5									
445/65R19.5	16.5-22.5	425/65R22.5								


Additional specifications on page 44

Laclede™ Truck Cable Chains



- Snap lock fastening system for easy installation
- Zinc plated rollers on cross members for corrosion resistance
- Heavy truck model features heavy duty side cable

Single Cable Chains



Snap-Lock Lever
Fastening System



Dual-Triple Cable Chains

LACLEDE™ SINGLE LIGHT TRUCK CABLE CHAINS

* Indicates stock # meets SAE Class S requirements

Tire Sizes						Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Replacement Cross Chain
H78-15ST LR78-15	6.70-15LT 7.00-15LT	P215/75R15	195/75R15LT	7-17.5LT		2011	9	13	8819
7.50-17	245/70R17LT	225/70R17.5	7.00-18	8-19.5		2014	11	15	8821
215/75R14LT 9-14.5MH H78-15LT P225/75R15	P235/75R15 215/75R15LT 30X9.50-15 6.50-16LT	P225/70R16 P225/75R16 205R16 225/75R16LT	255/60R16 255/75R16LT 8.00-16.5 P235/60R17	P235/65R17 225/55R18 245/45R19	225/55R18	2016*	9	12	8821
7.00-15TR 7.50-15LT P275/60R15 235/75R15LT 245/70R15LT	245/75R15LT 7.00-16LT 8.75-16LT 215/80R16LT 215/85R16LT	235/75R16LT 245/70R16LT 255/65R16LT 8.75-16.5 P235/70R17	235/65R17 8-17.5 8.50-17.5 215/70R17.5 P235/50R18	P255/45R18 225/65R18 235/60R18 235/65R18 225/55R19	245/55R19	2019*	10	13	8821
NR78-15 7.50-15TR	275/60R15LT LR78-16LT	7.50-16LT 235/85R16LT	255/85R16LT 9.50-16.5LT	7.00-17LT 215/75R17.5		2021*	10	14	8821
8.25-15TR	P275/70R16	245/70R19.5	P275/60R20	295/45R20	285/40R22	2028*	12	14	8825
P245/65R15 P245/70R15 P255/70R15 P265/70R15 P265/75R15 255/75R15LT 29X9.50-15 P235/70R16	P245/70R16 P245/75R16 P255/65R16 P255/70R16 P275/60R16 P275/60R16 235/70R16LT 235/80R16 245/75R16LT	255/70R16LT 265/50R16LT 265/60R16 275/60R16LT 30X9.50-16 31X11.50-16 32X9-16LT 32X10.00-16LT	10-16.5 P235/75R17 P245/55R17 P245/65R17 245/65R17 P245/70R17 P255/55R17 P255/60R17	P255/65R17 225/75R17LT 275/55R17 P255/55R18 255/55R18 255/60R18 275/40R18 235/55R19	245/50R19 255/50R19 275/40R19 235/55R20 245/45R20 245/50R20 255/45R20 265/45R20	2029*	10	12	8825

Additional specifications on page 44

LACLEDE™ SINGLE AND DUAL-TRIPLE HEAVY TRUCK CABLE CHAINS

Tire Sizes				Singles			Dual-Triples			Replacement Cross Chain
				Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	
9.00-15TR 9.00-16LT 315/75R16LT	35X12.5-16 9R17.5 10R17.5	285/70R19.5 7.50-20 8-22.5	235/80R22.5 255/70R22.5	2037	14	14	N/A	N/A	N/A	8851
10.00-15TR QR78-16	11R17.5 8.25-20	9-22.5 245/75R22.5	275/70R22.5	2039	15	15	N/A	N/A	N/A	8851
9.00-20 10-22.5	255/80R22.5 265/75R22.5	275/80R22.5 295/75R22.5	305/70R22.5	2041	16	16	4041	31	32	8851
10.00-20	11-22.5	275/80R24.5	285/75R24.5	2045	17	16	4045	33	32	8853
10.00-22	12-22.5	12.5-22.5	11-24.5	2049	18	17	4049	36	34	8853

Additional specifications on page 44

LACLEDE™ WIDE BASE CABLE CHAINS

Tire Sizes						Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Replacement Cross Chain								
8.25-15LT 10-15LT 265/70R15LT 265/75R15LT 305/50R15 31X10.50-15LT 33X10.50-15 P265/70R16 P265/75R16	245/85R16LT 265/70R16LT 265/75R16LT 265/80R16LT 275/70R16LT 285/65R16 295/50R16LT 235/80R17LT 245/75R17LT	255/60R17 P255/70R17 265/60R17 P265/65R17 P265/70R17 265/70R17LT 265/75R17 P275/60R17 275/60R17	275/65R17 235/75R17.5 245/70R17.5 245/75R17.5 P245/60R18 255/65R18 255/70R18 P255/70R18 P265/65R18	275/55R18 P295/45R18 P255/60R19 265/50R19 275/45R19 275/55R19 225/70R19.5 245/60R20 255/50R20	255/55R20 265/50R20 265/60R20 275/40R20 275/45R20 295/40R20 265/40R22	3010*	11	13	8825								
PR78-15 11-15LT 285/75R15 31X11.50-15LT 32X11.50-15LT	33X9.50-15LT 33X13.50-15 34X9.50-15LT PR78-16 P285/60R16	275/65R16LT 285/60R16LT 32X11.50-16LT 33X13.50-16 34X9-16	12-16.5LT 31X10.50-16.5LT 285/60R17 285/70R17 305/45R17	P265/60R18 275/65R18LT 285/60R18 285/45R19 275/55R20	275/60R20 P285/50R20					3027*	10	11	8853				
12-15LT P315/70R15 325/60R15 31X13.5-15 32X12.50-15 33X12.50R15 33X14-15 33X14.50-15	35X14.5-15 11L16 285/70R16LT 295/75R16LT 305/70R16LT 305/85R16LT 35X13.5-16 36X13-16	32X12.50-16.5LT 33X12.5-16.5 33X15.5-16.5 275/70R17 285/75R17LT 295/70R17LT 305/65R17 305/70R17	33X12.50-17 10.50/80R18 275/70R18LT 285/65R18LT 285/75R18LT 295/70R18LT 325/60R18 33X12.5-18	33X13-18 275/65R20LT 285/55R20LT 285/60R20 295/55R20 305/50R20 305/55R20 32X11.50-20	33X12.5-20 285/50R22 305/40R22 305/45R22 33X11.5-22									3029*	12	11	8859
355/80R20 425/65R22.5	13-22.5 445/50R22.5	15-22.5 455/55R22.5	385/65R22.5	3055 3069	22 24												

Additional specifications on page 44

Laclede™ Mud Service Chains



- Extra heavy-duty for off-road use
- Available in domestic or import
- Available in single and dual-triples

Laclede Single Mud Service Truck Chains



LACLEDE™ SINGLE MUD SERVICE TRUCK CHAINS

Tire Sizes					Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Replacement Cross Chain
7.00-15TR	9.00-15TR	215/85R16LT	245/70R16LT	215/70R17.5	2435	36	9	6256
7.50-15LT	235/75R15LT	225/75R16LT	8.75-16.5					
7.50-15TR	7.00-16LT	235/70R16LT	8-17.5					
NR78-15	265/75R15	31X10.50-15	9.50-16.5	235/80R17	2437	39	10	6256
P245/70R15	P275/60R15	LR78-16LT	12-16.5	215/75R17.5				
P255/70R15	275/60R15LT	7.50-16LT	7.00-17LT					
255/65R15LT	30X9.50-15LT	235/85R16LT						
33X10.50-15	7.50-17	7.00-18	225/70R19.5		2439	40	10	6260
245/75R16LT	225/70R17.5	8-19.5	245/70R19.5					
285/75R16	285/70R17				2440	44	11	6260
10.00-15TR	235/75R17.5	8.25-20	235/80R22.5	255/70R22.5	2441	61	11	6434
10-15LT	7.50-20	9-22.5	245/75R22.5	255/80R22.5				
315/75R16								
9.00-20	10-22.5	265/75R22.5			2445	67	12	6434
10.00-20	11-22.5	275/70R22.5			2448	72	13	6434
11.00-20	12-22.5	295/75R22.5	275/80R24.5		2452	77	14	6434
10.00-22	275/80R22.5	11-24.5	285/75R24.5					
12.00-20	11.00-22	12-24.5			2486	92	14	6438
13/80R20	315/80R22.5							

Additional specifications on page 45



Laclede Dual-Triple Mud Service Truck Chains



LACLEDE™ DUAL-TRIPLE MUD SERVICE TRUCK CHAINS

Tire Size				Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Replacement Cross Chain
NR78-15	30X9.50-15LT	7.50-16LT	7.00-17LT	4412	70	20	6256
P245/70R15	31X10.50-15	235/85R16LT	235/80R17				
P255/70R15	LR78-16LT	9.50-16.5	215/75R17.5				
10.00-20	11-22.5	275/70R22.5		4448	139	26	6434
11.00-20	12-22.5	295/75R22.5	275/80R24.5	4461	144	28	6434
10.00-22	275/80R22.5	11-24.5	285/75R24.5				
12.00-20	11.00-22	12-24.5		4486	174	28	6438
13/80R20	315/80R22.5						

Additional specifications on page 45

Laclede™ Square Straight Link Alloy Truck Chains



- Square link alloy construction for increased durability and traction
- Reversible for extended use on both sides
- Well proven product, shorter pitch length design provides more traction than other square link products
- Ideal for off-road use
- 7mm and 8mm are available in domestic or import



LACLEDE™ 5.5MM SQUARE STRAIGHT LINK ALLOY LIGHT TRUCK CHAINS

Tire Sizes					Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Replacement Cross Chain
215/75R14LT 9-14.5MH H78-15LT	P225/75R15 P235/75R15 215/75R15LT	6.50-16LT 205R16 225/75R16LT	8.00-16.5 P235/65R17		2116CAM	21	11	9311
7.00-15TR 7.50-15LT P275/60R15 235/75R15LT	245/75R15LT 7.00-16LT P235/70R16 P245/70R16	P245/75R16 215/80R16LT 215/85R16LT 235/75R16LT	245/70R16LT 255/65R16 8.75-16.5 8-17.5	8.50-17.5 215/70R17.5	2119CAM	23	12	9311
NR78-15 7.50-15TR P265/75R15	275/60R15LT LR78-16LT 7.50-16LT	235/85R16LT 245/75R16LT 9.50-16.5	7.00-17LT 215/75R17.5LT		2121CAM	25	12	9311
KR78-15 8.25-15	10-15LT 265/70R15LT	265/75R15LT 31X10.5-15LT	245/85R16LT 255/70R16LT		3110CAM	26	12	9313
PR78-15 8.25-15TR 11-15LT 31X11.5-15LT 32X11.5-15LT	33X13.5-15 34X9.50-15 PR78-16 P265/70R16 255/85R16LT	265/75R16LT 275/70R16LT 32X11.5X16 33X13.5-16 34X9X16	12-16.5LT 31X10.5-16.5 P275/60R17 265/70R17LT 10-17.5	225/70R19.5LT 245/70R19.5LT 275/55R20 275/60R20	3127CAM	27	13	9313
12-15LT P315/70R15 31X13.50-15 32X12.50R15	33X14X15 33X14.5-15 35X13.5-15 35X14.5-15	11L16 285/75R16LT 295/75R16 305/85R16LT	35X13.5-16 36X13X16 33X12.50R16.5 35X12.5-17	325/60R18	3129CAM	31	14	9315

Additional specifications on page 43

LACLEDE™ 7MM SQUARE STRAIGHT LINK ALLOY CHAINS

Tire Sizes					Singles				Dual-Triples				Cross Chain
					Non-Cam Stock No.	Cam Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Non-Cam Stock No.	Cam Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	
NR78-15 7.50-15TR	275/60R15LT LR78-16LT	7.50-16LT 235/85R16LT	245/75R16LT 9.50-16.5	7.00-17LT 215/75R17.5LT	2121	N/A	41	10	N/A	N/A	N/A	N/A	9413
10.00-20 11-22.5	275/70R22.5 275/80R22.5	295/75R22.5 305/70R22.5	275/80R24.5 285/75R24.5		2147	2147LG	56	14	4147	4147LG	93	28	9413
10.00-22	11-24.5				2149	2149LG	60	15	4149	4149LG	103	30	9413

Additional specifications on page 43

LACLEDE™ 8MM SQUARE STRAIGHT LINK ALLOY CHAINS

Tire Sizes					Singles				Dual-Triples				Cross Chain
					Non-Cam Stock No.	Cam Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Non-Cam Stock No.	Cam Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	
10.00-20 11-22.5	275/70R22.5 275/80R22.5	295/75R22.5 305/70R22.5	275/80R24.5 285/75R24.5		2145HD	2145HDLG	80	13	4145HD	4145HDLG	135	26	9511
10.00-22	11-24.5				2149HD	2149HDLG	85	14	4149HD	4149HDLG	146	28	9513

Additional specifications on page 43



TRACTOR, EQUIPMENT & OFF ROAD

TRACTOR &
EQUIPMENT



LOADER, GRADER	27
SKIDDER, SKID STEER	28
TRACTOR.....	29-31
FORKLIFT, ATV/UTV	31
GARDEN TRACTOR.....	32

TRACTOR, EQUIPMENT & OFF ROAD VEHICLE CHAIN FIT CHART

THIS TIRE SIZING CHART IS A GUIDE ONLY!

Actual fitments can vary due to dimensional variances in tire manufacturing within size designations.

All tire chains should be pre-fit prior to use.

Tire Size	Roadmaster Page 29	DUO Grip Page 30	Nu-Way Page 31	Grader Page 27	Reinforced Grader Page 27
7.2-24	0832	-----	-----	-----	-----
8.3-24	0822	-----	-----	-----	-----
9.5-16	0829	-----	-----	-----	-----
9.5-24	0832	DUO214	-----	-----	-----
9.5-28	0836	DUO214	0736	-----	-----
9.5-32	0838	DUO226	0738	-----	-----
9.5-36	-----	DUO218	-----	-----	-----
9.5-38	-----	DUO218	-----	-----	-----
10-16.5	0829	-----	-----	-----	-----
10.5/80-18	0822	DUO225	-----	-----	-----
11-38	-----	-----	0766	-----	-----
11.2-24	0836	DUO214	0736	-----	-----
11.2-28	0838	DUO226	0738	-----	-----
11.2-32	-----	DUO218	-----	-----	-----
11.2-44	-----	-----	0766	-----	-----
12-16.5	0822	DUO225	-----	-----	-----
12.4-24	0838	DUO229	0752	-----	-----
12.4-28	0838	DUO218	0756	-----	-----
12.4-40	-----	-----	0766	-----	-----
12.4-42	-----	-----	0766	-----	-----
12.5/80-18	0832	-----	0738	-----	-----
13.00-24	-----	-----	-----	2612	2912
13.00-25	-----	-----	-----	2612	2912
13.6-16	0850	-----	-----	-----	-----
13.6-24	0858	DUO240	0756	-----	-----
13.6-26	0858	DUO240	-----	-----	-----
13.6-28	0859	DUO260	0759	-----	-----
13.6-38	-----	-----	0766	-----	-----
13.9-36	-----	DUO242	-----	-----	-----
14-17.5	0850	-----	-----	-----	-----
14.00-20	-----	-----	-----	2612	2912
14.00-21	-----	-----	-----	2612	2912
14.00-24	-----	-----	-----	2615	2915
14.00-25	-----	-----	-----	2615	2915
14.9-24	0859	DUO240	0772	-----	-----
14.9-26	0869	DUO250	-----	-----	-----
14.9-28	0869	DUO252	0774	-----	-----
14.9-30	0876	DUO252	0777	-----	-----
14.9-38	-----	DUO254	0779	-----	-----
14.9-46	0894	-----	-----	-----	-----
15-19.5	0836	-----	-----	-----	-----
15.5-25	-----	-----	-----	2612	2912
15.5-38	0879	DUO254	0779	-----	-----
16.00-20	-----	-----	-----	2624	-----
16.00-21	-----	-----	-----	2624	-----
16.00-24	-----	-----	-----	2627	2917
16.00-25	-----	-----	-----	2627	2917
16.9-24	0874	DUO260	0774	-----	-----
16.9-26	0876	DUO262	0777	-----	-----
16.9-28	0876	DUO262	0777	-----	-----
16.9-30	0885	DUO271	0777	-----	-----
16.9-32	-----	DUO266	-----	-----	-----
16.9-34	0879	DUO270	0779	-----	-----
16.9-38	-----	DUO272	0787	-----	-----
17.5-24	0874	DUO263	-----	-----	-----
17.5L-24	0874	DUO263	-----	-----	-----
17.5-25	-----	-----	-----	2624	-----
18.00-24	-----	-----	-----	2636	-----
18.00-25	-----	-----	-----	2636	-----
18.00-26	-----	-----	-----	2636	-----

Tire Size	Roadmaster Page 29	DUO Grip Page 30	Nu-Way Page 31	Grader Page 27
18.4-16.1	-----	DUO264	0774	-----
18.4-24	0883	DUO268	0777	-----
18.4-26	0883	DUO271	-----	-----
18.4-28	-----	DUO271	-----	-----
18.4-30	0885	DUO271	-----	-----
18.4-34	0887	DUO273	0787	-----
18.4-38	0894	DUO272	0789	-----
18.4-42	0894	DUO277	-----	-----
18.4-46	-----	DUO277	-----	-----
19.5L-24	0883	DUO268	0777	-----
20.5-25	-----	-----	-----	2633
20.8-34	-----	DUO272	-----	-----
20.8-38	-----	DUO276	0790	-----
21L-24	0885	-----	-----	-----
21.5L-16.1	-----	DUO264	-----	-----
24.5-32	-----	DUO282	-----	-----
23.1-34	-----	DUO282	-----	-----
23.5-25	-----	-----	-----	2645
26.5-25	-----	-----	-----	2657
28.1-34	-----	DUO282	-----	-----
30.5R32	-----	-----	-----	2657
41x14.00-20	0852	-----	-----	-----
230/95R32	0838	DUO226	-----	-----
230/95R36	0856	-----	-----	-----
230/95R44	-----	DUO270	-----	-----
260/70R16	0829	-----	-----	-----
280/70R20	0822	DUO225	-----	-----
300/70R20	0822	DUO225	-----	-----
315/75D15	0822	DUO225	-----	-----
320/70R24	0852	-----	-----	-----
320/85R24	0838	-----	-----	-----
320/85R34	-----	DUO242	-----	-----
320/85R38	0874	DUO260	-----	-----
320/90R46	-----	DUO254	-----	-----
340/80R18	0836	-----	-----	-----
340/85R28	-----	DUO260	-----	-----
355/80R20	0836	DUO226	-----	-----
360/70R20	0836	-----	-----	-----
360/70R28	0859	-----	-----	-----
380/70R20	0836	-----	-----	-----
380/70R24	0858	-----	-----	-----
380/85R34	0877	DUO260	-----	-----
380/90R54	-----	DUO277	-----	-----
420/80R46	0894	DUO272	-----	-----
420/85R28	0876	DUO262	0777	-----
460/85R34	-----	DUO272	-----	-----
480/80R46	-----	DUO277	-----	-----
480/80R38	-----	DUO272	-----	-----
480/85R34	-----	DUO273	-----	-----
540/65R30	-----	DUO271	-----	-----
550/65R25	-----	DUO271	-----	-----
600/65R25	0887	DUO273	-----	-----
600/65R28	-----	DUO271	-----	-----
620/70R42	-----	DUO282	-----	-----
650/75R32	-----	DUO282	-----	-----
710/70R38	-----	-----	-----	2657
755/70R25	-----	-----	-----	2657
800/65R32	-----	-----	-----	2657



- Square link alloy cross chains for added durability and increased traction
- Cross chain pattern keeps cross links on top of tread
- Case hardened alloy side chain and alloy cross chain hooks
- Built-in draw chain for tightening



LACLEDE™ ALLOY PATTERN EQUIPMENT CHAINS

Tire Sizes					Stock No.	Weight Per Pair	Replacement Cross Chain	Cross Chain Size	Cross Chains Per 1/2 Pair	Cross Chain Hook Stock No.	Rim Chain Trade Size
13.00-24	13.00-25	14.00-20	14.00-21	15.5-25	5612	132	6615	8mm	9	315	7mm
14.00-24	14.00-25				5615	132	6615	8mm	9	315	7mm
16.00-20	16.00-21	17.5-25			5624	216	6624	10mm	9	394	9mm
20.5-25					5633	246	6633	10mm	9	394	9mm



Laclede Grader and Equipment Chains

- Designed for plows, graders and loaders
- Heavy duty twist link cross chain
- 2600 series available in domestic or import
- 2900 series with v-bar made in the U.S.A.
- Two-link spacing available upon request

Laclede Reinforced Grader and Equipment Chains



LACLEDE™ GRADER & EQUIPMENT CHAINS

Tire Sizes					Grader Stock No.	Weight Per Pair	Replacement Cross Chain	V-Bar Grader Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Replacement Cross Chain
13.00-24	13.00-25	14.00-20	14.00-21	15.5-25	2612	107	6630	2912	118	14	6930
14.00-24	14.00-25				2615	123	6630	2915	145	16	6930
16.00-20	16.00-21	17.5-25			2624	166	6640	N/A	N/A	13	N/A
16.00-24	16.00-25				2627	189	6640	2917	170	15	6917
20.5-25					2633	202	6650	N/A	N/A	14	N/A
18.00-24	18.00-25	18.00-26			2636	211	6650	N/A	N/A	15	N/A
23.5-25					2645	365	6660	N/A	N/A	15	N/A
26.5-25	30.5R32	710/70R38	755/70R25	800/65R32	2657	447	6670	N/A	N/A	17	N/A

Additional specifications on page 45



- Heavy duty alloy construction for extended wear
- Double diamond cross chain configuration protects tire while providing continuous traction
- U-lug reinforced cross chain




LACLEDE™ DOUBLE DIAMOND U-LUG EQUIPMENT CHAINS

Tire Sizes	Laclede Part No.	Weight Per Pair	Cross Chain Trade Size
18.4-34 23.1-26	7029-231-16	965	16mm
24.5-32	7029-245-19	1,574	19mm
28L-26	7029-280-19	1,455	19mm
30.5-32	7029-305-19	1,777	19mm
35.5-32	7029-355-19	2,004	19mm
73X44X32	7029-730-19	2,288	19mm



- 8mm square link alloy cross chains
- Box pattern cross chain configuration keeps cross links on top of tread
- Wear bars on cross links for added durability and traction
- Alloy cam style side chain and alloy cross chain hooks



LACLEDE™ ALLOY PATTERN SKID STEER CHAINS

Tire Sizes	Stock No.	Weight Per Pair	Replacement Cross Chain	Cross Chain Size	Cross Chains Per 1/2 Pair	Cross Chain Hook Stock No.	Rim Chain Trade Size
10-16.5	0929	92	6429	8mm	8	394	8mm
12-16.5	0922	114	6422	8mm	8	394	8mm
15-19.5	0936	159	6435	8mm	10	394	8mm
14-17.5	0950	134	6450	8mm	9	394	8mm

LACLEDE™ 8MM ALLOY SQUARE LINK SKID STEER CHAINS

- Made in the USA
- Ladder style cross chain configuration

Tire Sizes	Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Replacement Cross Chain
9.5-16 10-16.5 260/70R16	0829HD	56	9	9533
8.3-24 10.50/80-18 12-16.5 280/70R20 300/70R20	0822HD	68	11	9533
315/75D15 13.6-16 14-17.5	0850HD	66	10	9537

Laclede™ Roadmaster Tractor Chains



- Suitable for off-road or over-the-road use
- Sets available in domestic or import
- Bulk continuous Roadmaster made in the U.S.A.

LACLEDE™ ROADMASTER TRACTOR CHAINS

Tire Sizes					Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Replacement Cross Chain
9.5-16	10-16.5	260/70R16			0829	53	9	6434
8.3-24	10.5/80-18	12-16.5	280/70R20	300/70R20	0822	62	11	6434
315/75D15								
7.2-24	9.5-24	12.5/80-18			0832	70	12	6434
9.5-28	11.2-24	15-19.5	340/80R18	355/80R20	0836	82	12	6445
360/70R20	380/70R20							
41x14.00-20	320/70R24				0852	91	13	6445
9.5-32	11.2-28	12.4-24	12.4-28	230/95R32	0838	95	14	6445
320/85R24								
230/95R36					0856	105	15	6445
13.6-16	14-17.5				0850	76	10	7420
13.6-24	13.6-26	380/70R24			0858	106	14	7420
13.6-28	14.9-24	360/70R28			0859	105	15	7420
14.9-26	14.9-28				0869	120	16	7420
16.9-24	17.5-24	17.5L-24	320/85R38		0874	123	15	7426
14.9-30	16.9-26	16.9-28	420/85R28		0876	130	16	7426
380/85R34					0877	142	17	7426
15.5-38	16.9-34				0879	150	18	7426
18.4-24	18.4-26	19.5L-24			0883	167	13	9562
16.9-30	18.4-30	21L-24			0885	191	15	9562
18.4-34	600/65R25				0887	205	16	9562
14.9-46	18.4-38	18.4-42	420/80R46		0894	250	19	9562

Additional specifications on page 47

Laclede™ DUO Grip Tractor Chains



- Features H-pattern cross chains which keep the chain on top of the tire
- 3/8" case hardened cross chain
- Sets are available in domestic or import
- Bulk continuous DUO grip made in the U.S.A
- For off-road use only

LACLEDE™ DUO GRIP TRACTOR CHAINS

Tire Sizes					Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Replacement Cross Chain
9.5-24	9.5-28	11.2-24			DUO214	110	8	DUO292
9.5-32	11.2-28	230/95R32	355/80R20		DUO226	124	9	DUO292
10.5/80-18	12-16.5	280/70R20	300/70R20	315/75D15	DUO225	88	6	DUO293
12.4-24					DUO229	130	9	DUO293
9.5-36	9.5-38	11.2-32	12.4-28		DUO218	143	10	DUO293
13.9-36	320/85R34				DUO242	150	10	DUO294
13.6-24	13.6-26	14.9-24			DUO240	141	9	DUO295
14.9-26					DUO250	156	10	DUO295
14.9-28	14.9-30				DUO252	173	11	DUO295
13.6-28	16.9-24	320/85R38	340/85R28	380/85R34	DUO260	160	10	DUO296
14.9-38	15.5-38	320/90R46			DUO254	194	12	DUO296
17.5-24	17.5L-24				DUO263	135	8	DUO297
16.9-26	16.9-28	420/85R28			DUO262	169	10	DUO297
16.9-32					DUO266	184	11	DUO297
16.9-34	230/95R44				DUO270	200	12	DUO297
18.4-16.1	21.5L-16.1				DUO264	132	7	DUO298
18.4-24	19.5L-24				DUO268	171	9	DUO298
16.9-30	18.4-26	18.4-28	18.4-30	540/65R30	DUO271	188	10	DUO298
550/65R25	600/65R28				DUO273	206	11	DUO298
18.4-34	480/85R34	600/65R25			DUO272	226	12	DUO298
16.9-38	18.4-38	20.8-34	420/80R46	460/85R34	DUO277	221	16	DUO298
480/80R38					DUO276	259	13	DUO299
18.4-42	18.4-46	380/90R54	480/80R46		DUO282	252	12	DUO302
20.8-38								
24.5-32	23.1-34	28.1-34	620/70R42	650/75R32				

Additional specifications on page 46

LACLEDE™ BULK CONTINUOUS DUO GRIP™ TRACTOR CHAINS

Laclede's Continuous DUO Grip drums reduce the need to carry large inventories of sets by providing the flexibility to build a range of sizes from each drum. Components and instructions are included in each drum. Each DUO Grip group can make the following: DO-I 4-6 sets, DO-II 3-6 sets, DO-III 3-4 sets, DO-IV 3-4 sets, DO-V 2-3 sets.

Tire Sizes					Group No.	Rim Length in Inches	Number of Cross Chains
12.4-24	12.4-28	12.4-36	12.4-38	12.4-40	DO-II	1225	72
12.4-42	13.6-24	13.6-26	13.6-28	13.6-36			
13.6-38	13.9-36						
14.9-24	14.9-26	14.9-28	14.9-30	14.9-38	DO-III	1106	65
15.5-38							
16.9-24	16.9-26	16.9-28	16.9-30	16.9-32	DO-IV	1021	60
16.9-34	16.9-38	18.4-28	18.4-28	18.4-30			
18.4-34	18.4-38						
20.8-38	23.1-36	23.1-30	23.1-34		DO-V	851	50

Additional specifications on page 46

Laclede™ Nu-Way Tractor Chains



- Double ring cross chain design provides extra wear and self-cleaning action
- Excellent for use in soft terrain, for off-road use only

LACLEDE™ NU-WAY TRACTOR CHAINS

Tire Sizes					Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Replacement Cross Chain
9.5-28	11.2-24				0736	91	12	204
9.5-32	11.2-28	12.5/80-18			0738	96	13	204
12.4-24					0752	105	12	206
12.4-28	13.6-24				0756	114	13	206
13.6-28					0759	130	15	206
11-38	11.2-44	12.4-40	12.4-42	13.6-38	0766	154	18	206
14.9-24					0772	132	12	210
14.9-28	16.9-24	18.4-16.1			0774	152	14	210
14.9-30	16.9-26	16.9-28	16.9-30	18.4-24	0777	163	15	210
19.5L-24	420/85R28							
14.9-38	15.5-38	16.9-34			0779	183	17	210
16.9-38	18.4-34				0787	206	17	211
18.4-38					0789	218	19	211
20.8-38					0790	251	19	212

Additional specifications on page 46

LACLEDE™ FORKLIFT CHAINS

- Square link alloy cross chains



Tire Sizes					Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair	Replacement Cross Chain
6.50-10					2108FL	15	8	9311
7.50-10	7.00-12	25 X 8.50-14			2110FL	19	10	9311
7.00-15	28 X 9-15	29 X 8-15	8.15-15		2116FL	20	11	9311
27 X 8.50-15	28 X 9.50-15							
7.50-15					2121FL	27	13	9311
250-15	27 X 10.50-15				2129FL	22	11	9313
8.25-15					2128FL	28	14	9313
300-15	28 X 12.50-15				3129FL	30	13	9315

Additional specifications on page 47

LACLEDE™ ATV/UTV CHAINS

- Reinforced cross chain for increased wear and traction
- Two link spacing cross chain



Tire Sizes					Stock No.	Weight Per Pair	Cross Chains Per 1/2 Pair
23 X 8 X 11	24 X 8 X 11	26 X 8 X 12			611	28	17
25 X 8 X 10	25 X 8 X 11				612	31	19
22 X 9 X 10	22 X 10 X 9	23 X 8 X 10	23 X 8 X 12	24 X 8 X 12	614	32	17
22 X 10 X 10	22 X 11 X 8	22 X 11 X 10	22 X 12 X 8	23 X 10 X 10	615	26	13
22 X 11 X 9	24 X 9 X 12	25 X 8 X 13	25 X 9 X 12		616	34	17
23 X 10 X 12	24 X 10 X 12	25 X 9 X 11	26 X 8 X 14				
24 X 9 X 11	24 X 11 X 11	25 X 10 X 11	25 X 11 X 12	26 X 10 X 12	618	37	19
24 X 11 X 9	24 X 11 X 12	25 X 10 X 12	26 X 9 X 12	26 X 10 X 14			
24 X 11 X 10	25 X 8 X 12	25 X 11 X 9	26 X 9 X 14				
26 X 11 X 12	26 X 11 X 14				619	41	21
24 X 12 X 10	24 X 13 X 12	25 X 12 X 10	25 X 13.5 X 9		620	36	15
24 X 13 X 9	25 X 12 X 9	25 X 13 X 9					

Additional specifications on page 48

Laclede™ Snow Blower & Garden Tractor Chains



2 Link Spacing

LACLEDE™ SNOW HAWG/SNOW BLOWER CHAINS

Tire Sizes	2 Link Spacing	
	Stock No.	Weight Per Pair
4.00 X 4.80-8	1302G	11
4.10 X 3.50-6	3310G	7
13 X 5-6	7156G	8
16 X 6.50 X 8	3315G	15

Additional specifications on page 48



2 Link Spacing



Cross-Chain



4 Link Spacing

LACLEDE™ SNOW BLOWER & GARDEN TRACTOR CHAINS

Tire Sizes				2 Link Spacing		4 Link Spacing	
				Stock No.	Weight Per Pair	Stock No.	Weight Per Pair
10/10.5 X 2.75	10.25 X 3.25	10 X 3.50		3301G	3	-----	-
4.10/3.50 X 4	3.40/3.00 X 5			7106G	3	-----	-
4.10/3.50 X 5	4.10/3.50 X 6	12 X 3.50 X 6	12.25 X 3.50 X 6	3302G	4	-----	-
5.30/4.50 X 6				3309G	7	-----	-
13 X 5 X 6				7129G	6	-----	-
4.00/4.80 X 8				1301G	11	-----	-
5.00/5.70 X 8				3303G	16	-----	-
16 X 6.50 X 8	15 X 6.00 X 6			3300G	12	-----	-
18 X 6.50 X 8				3312G	14	-----	-
18 X 8.50 X 8				3307G	15	3311G	10
18 X 9.50 X 8				3305G	16	3306G	10
20 X 10 X 8	20 X 10 X 10			7145G	20	5320G	13
20 X 8.00 X 10	20 X 8 X 8			1308G	19	5318G	11
6 X 12	23 X 7.50 X 12			5313G	19	-----	-
8 X 12	23 X 8.50 X 12			4300G	22	4301G	13
12 X 12	26 X 12 X 12	27 X 12 X 12		5308G	30	5306G	18
23 X 9.50 X 12	23 X 10.50 X 12			5307G	25	5303G	15
24 X 12 X 12				7164G	25	----	-
8 X 15	25 X 8.5 X 14	27 X 8.50 X 15		1307G	28	----	-
29 X 12 X 15				5323G	64	----	-
12.4-16	31 X 15.5 X 15	33 X 12.5 X 15		5324G	109	9100G	66
8 X 16				1311G	33	1310G	20

Additional specifications on page 48

FASTENERS	34
HOOKS.....	35
REPAIR LINKS	35
REPAIR TOOLS	36

ACCESSORIES & REPAIR PARTS

BULK CROSS CHAIN	34
BULK SIDE CHAIN	34
ADJUSTERS.....	35
TIGHTENING TOOLS	36
EMERGENCY CHAIN.....	36

MADE
IN
U.S.A.  LACLEDE™ TWIST LINK CONTINUOUS CROSS CHAIN - HARDENED

Nominal Size	Material Diameter		Wt. per 100 Ft.	Pitch Length	Cartons		Drums	
	Inches	Decimal			Ft./Pkg.	Part Number	Ft./Pkg.	Part Number
3/0	13/64	0.207	35	0.920	100	2539-512-25	N/A	N/A
.234	15/64	0.234	47	1.000	100	2549-512-25	N/A	N/A
6/0	9/32	0.281	65	1.250	100	2553-512-25	800	2553-542-25
7/0	5/16	0.312	77	1.390	100	2556-512-25	700	2556-542-25
9/0 TRUCK	3/8	0.375	135	1.265	100	2563-502-25	500	2563-542-25
9/0 TRACTOR	3/8	0.375	115	1.650	100	2563-500-25	N/A	N/A
11/0	7/16	0.437	184	1.563	50	2569-502-25	300	2569-542-25
14/0	17/32	0.531	254	1.734	50	2579-511-25	200	2579-542-25

 LACLEDE™ SQUARE STRAIGHT LINK ALLOY CROSS CHAIN - CONTINUOUS - HARDENEDMADE
IN
U.S.A. 

Nominal Size	Material Diameter	Wt. per 100 Ft.	Pitch Length	Cartons		Drums	
				Ft./Pkg	Part Number	Ft./Pkg.	Part Number
6/0	7mm	90	0.955	100	2961-502-25	N/A	N/A
7/0	8mm	107	1.15	100	2962-502-25	N/A	N/A
9/0	10mm	160	1.49	100	2964-512-25	300	2964-544-25
	11mm	197	1.565	N/A	N/A	300	2967-544-25
	13mm	281	1.742	N/A	N/A	200	2969-544-25

 LACLEDE™ STRAIGHT LINK SIDE CHAIN - CONTINUOUS - UNHARDENEDMADE
IN
U.S.A. 

Nominal Size	Material Diameter		Wt. per 100 Ft.	Pitch Length	Cartons		Drums	
	Inches	Decimal			Ft./Pkg.	Part Number	Ft./Pkg.	Part Number
#1*	5/32	0.156	18	1.25	100	2230-512-04	N/A	N/A
1/0*	11/64	0.177	23	1.250	100	1633-512-04	N/A	N/A
2/0*	3/16	0.192	27	1.296	100	1636-512-04	N/A	N/A
4/0	7/32	0.218	34	1.390	100	1643-512-02	N/A	N/A
6/0	9/32	0.281	57	1.810	100	2253-512-02	1000	2253-542-02
7/0 TRUCK	5/16	0.312	67	1.920	100	2256-512-02	800	2256-542-02
7/0 TRACTOR	5/16	0.312	66	2.127	100	2256-500-02	800	N/A
9/0	3/8	0.375	104	2.170	100	2263-512-02	500	2263-542-02
11/0	7/16	0.437	142	2.330	100	2269-512-02	350	2269-542-02
	1/2	0.50	183	2.756	N/A	N/A	300	2271-542-82

* Standard finish zinc plated

SIDE CHAIN FASTENERS

5308F - 5310F



713F - 714F



6003 - 6004

Stock No.	Used With	Part Number	Std. Package Quantity	Weight Per Package
5308F	PASSENGER, LIGHT TRUCK	7015-308-04	24 PCS./CTN	2
5310F	TRACTOR CHAINS	7015-310-02	12 PCS./CTN	3
713F	MEDIUM & HEAVY TRUCK	6805-713-00	12 PCS./CTN	6
714F	HEAVY GRADER	6804-714-00	1 PC./CTN	1
6003	MEDIUM TRUCK - 6mm	6806-003-04	25 PCS./CTN	7
6002	HEAVY TRUCK - 8mm	6806-002-04	25 PCS./CTN	14
6004	HEAVY EQUIPMENT - 10mm	6806-004-04	25 PCS./CTN	21

* Keeper Link Included with 6002, 6003 and 6004

CROSS CHAIN HOOKS

Stock No.	Material Size		Part Number	Description	Standard Package Quantity	Weight per Package
	Inches	Decimal				
177	3/16	.177	7901-177-04	PASS. CAR (1100 & 1900)	50 PCS./CTN	2
230	13/64	.207	7901-230-04	PASS. CAR (1200 & 1800)	50 PCS./CTN	3
236	15/64	.234	7921-236-04	TRUCK & BUS HOOP	50 PCS./CTN	4
250	1/4	.250	7901-250-02	LIGHT TRUCK	50 PCS./CTN	4
271	5/16	.312	7901-271-02	MED. TRUCK	50 PCS./CTN	8
280	5/16	.312	7901-280-02	FOR 7MM SQUARE WIRE	50 PCS./CTN	8
290	3/8	.375	7901-290-02	HEAVY TRUCK	50 PCS./CTN	13
320	13/32	.406	7901-320-02	TRACTOR	50 PCS./CTN	15
317	7/16	.437	7901-317-02	GRADERS	50 PCS./CTN	22
314	13/32	.406	7901-314-02	NU-WAY TRACTOR	50 PCS./CTN	19
315	5/16	.312	7921-315-04	HEAVY TRUCK - FOR 7mm STUDDER	50 PCS./CTN	8
330	1/2	.50	7901-330-80	HEAVY EQUIPMENT	25 PCS./CTN	16
394	3/8	.375	7921-394-04	HEAVY TRUCK - FOR 8mm STUDDER	50 PCS./CTN	17
*451	7/16	.437	7990-451-25	*9/0 SWIVEL HOOK	50 PCS./CTN	12
450	9/16	.536	7990-450-23	11/0 SWIVEL HOOK	50 PCS./CTN	23

* Without Washer




QUICK HOOKS

Stock No.	Material Size		Part Number	Description	Standard Package Quantity	Weight per Package
	Inches	Decimal				
5401	1/4	.250	7015-401-04	LIGHT TRUCK	25 PCS./CTN	2
5402	11/32	.344	7015-402-25	MEDIUM TRUCK	25 PCS./CTN	3
5403	13/32	.406	7015-403-25	HEAVY TRUCK	25 PCS./CTN	7



PLATE-TYPE QUICK HOOKS

Stock No.	Material Size		Part Number	Description	Standard Package Quantity	Weight per Package
	mm	Decimal				
5404	6mm	.234	7015-404-04	HEAVY TRUCK	25 PCS./CTN	5
5405	5mm	.187	7015-405-04	MEDIUM OR HEAVY TRUCK	25 PCS./CTN	2



CROSS CHAIN REPAIR LINKS

Stock No.	Material Size		Part Number	Description	Standard Package Quantity	Weight per Package
	Inches	Decimal				
9333	13/64	.207	7689-333-03	PASSENGER CAR	50 PCS./CTN	2
9253	1/4	.250	7689-253-02	LIGHT SINGLE TRUCK	50 PCS./CTN	2
9263	9/32	.281	7689-263-02	MEDIUM DUTY	50 PCS./CTN	4
9273	5/16	.312	7689-273-02	HEAVY DUTY	50 PCS./CTN	10



SIDE CHAIN REPAIR LINKS

Stock No.	Material Size	Part Number	Description	Standard Package Quantity	Weight per Package
015	3/16 X 1	6580-015-04	PASSENGER CAR	50 PCS./CTN	2
035	1/4 X 1-1/4	6580-035-04	LT. TRUCK, HEAVY PASS.	50 PCS./CTN	3
065	5/16 X 1-1/2	6580-065-04	HEAVY TRUCK	50 PCS./CTN	7
085	3/8 X 1-5/8	6580-085-04	TRACTOR	50 PCS./CTN	11
104	1/2 X 2-1/2	6580-104-04	TRACTOR	25 PCS./CTN	13





HEAVY EQUIPMENT CHAIN TIGHTENING TOOL

Stock No.	Length	Part Number	Description	Standard Package Quantity	Weight per Package
9250	19.75"	7429-250-00	HEAVY TRUCK / EQUIPMENT	1 PC./CTN	12




EQUIPMENT REPAIR LINKS - PIN COUPLERS

Stock No.	Material Size	Part Number	Standard Package Quantity	Weight per Package
9281	6mm	7689-281-04	25 PCS./CTN	3
9283	8mm	7689-283-04	25 PCS./CTN	5
9285	10mm	7689-285-04	25 PCS./CTN	9
9287	13mm	7689-287-04	25 PCS./CTN	16
9289	16mm	7689-289-04	25 PCS./CTN	28
9291	22mm	7689-291-04	25 PCS./CTN	33



CHAIN REPAIR PLIERS

Stock No.	Type - Length	Part Number	Description	Standard Package Quantity	Weight per Package
7301	SMALL - 6.5"	7017-301-00	REG. PASSENGER	1 PR./CTN	1
7303	LARGE - 18"	7017-303-00	TRUCK	1 PR./CTN	8
7302	X-LARGE - 33.5"	7017-302-23	TRUCK/TRACTOR	1 PR./CTN	10




TIRE CHAIN ADJUSTERS

Stock No.	Description	Part Number	Standard Package Quantity	Weight per Package
29110	PASS. CAR - RUBBER	7429-110-00	30 PR./CTN	13
29225	LIGHT TRUCK - RUBBER	7429-225-00	30 PR./CTN	17
29229	HEAVY TRUCK - RUBBER	7429-229-00	30 PR./CTN	38
39110	PASS. CAR - RUBBER ARM TYPE	7439-110-00	30 PR./CTN	17
39225	LIGHT TRUCK - RUBBER ARM TYPE	7439-225-00	30 PR./CTN	28
39229	HEAVY TRUCK - RUBBER ARM TYPE	7439-229-00	30 PR./CTN	52
6302	LIGHT TRUCK - SPRING	7016-302-55	1 PR./CTN	1
6303	HEAVY TRUCK - SPRING	7016-303-55	1 PR./CTN	4
6304	TRACTOR/GRADER - SPRING	7016-304-05	1 PR./CTN	13



EMERGENCY PASSENGER CHAINS

Stock No.	Description	Part Number	Standard Package Quantity	Weight per Package
4210	ALL PASSENGER TIRE SIZES	7014-210-99	1 PR./BAG	2



REPLACEMENT "T" HANDLES FOR CAM CHAINS

Stock No.	For Use With	Part Number	Standard Package Quantity	Weight per Package
2800-TH	HEAVY TRUCK	7428-000-00	10 PCS./CTN	5
2801-TH	LIGHT TRUCK	7428-010-00	10 PCS./CTN	2
8015-TH	TRUCK & BUS HOOP	7428-015-05	10 PCS./CTN	6

HARDWARE & INDUSTRIAL

ALLOY TOW & BINDER CHAIN.....	38
TRANSPORT TOW & BINDER CHAIN	38
RATCHET LOAD BINDERS.....	38
LEVER LOAD BINDERS.....	38
TRUCK TOUGH RATCHET BINDERS	39
GRADE 80 RATCHET BINDERS	39
SECURITY LOCK DOWN CHAIN	39

OTHER HARDWARE & INDUSTRIAL PRODUCTS OFFERED:

**OVERHEAD LIFTING
CARGO CONTROL
MARINE CHAIN
PROOF COIL
WELDLESS CHAIN
HARDWARE ACCESSORIES
ASSEMBLIES
MERCHANDISERS**

FOR MORE INFORMATION ABOUT ALL HARDWARE PRODUCTS CALL 800-325-2699

ALLOY TOW & BINDER CHAINS - CLEVIS TYPE



G80

Chain Size (in.)	Length (ft.)	Working Load Limit (lbs.)	Approx. Weight Per Unit	Part Number
5/16	20	5,100	23	1022-530-01
3/8	16	7,100	26	1024-416-01
	20		33	1024-520-01
1/2	16	12,000	47	1031-516-01
	20		57	1031-522-01
5/8	20	18,100	82	1037-520-01

G100 Available

TRANSPORT TOW & BINDER CHAINS - CLEVIS TYPE



G70

Chain Size (in.)	Length (Ft.)	Working Load Limit (lbs.)	Pieces Per Drum	Approx. Weight Per Unit	Part Number
5/16	14	4,700	25	361	3521-622-56
	16		25	408	3521-623-56
	20		25	504	3562-320-05
	25		20	498	3521-626-57
3/8	14	6,600	25	509	3524-622-57
	16		25	579	3524-623-56
	20		20	569	3582-520-15
	25		15	526	3582-825-05
1/2	16	11,300	10	433	3532-823-55
	20		10	530	3532-725-55


High Test and Proof Coil Tow and Binders Available. Eye Type Available for 5/16 & 3/8

LOAD BINDERS - RATCHET TYPE



Chain Size (in.)	Chain Rating	Working Load Limit (lbs.)	Approx Weight Per Unit (lbs.)	Finish	Part Number
1/4	1/4 G7	3,150	4	RED	8592-234-14
5/16	5/16 G7 3/8 G4	5,400	10	RED	8592-236-14
5/16	5/16 G7 - 3/8 G7	6,600	11	DK RED	8592-237-80
3/8	3/8 G7 - 1/2 G4	9,200	13	RED	8592-238-14
1/2	1/2 G7 - 5/8 G4	13,000	16	RED	8592-240-14

LOAD BINDERS - LEVER



STANDARD

*RECOILLESS

Chain Size (in.)	Chain rating	Working Load Limit (lbs.)	Approx Weight Per Unit (lbs.)	Finish	Part Number
1/4	1/4 G7	3,150	3	RED	8592-104-14
5/16*	5/16 G7 - 3/8 G4*	5,400	9*	DK RED*	8592-006-80*
5/16	5/16 G7 - 3/8 G4	5,400	8	RED	8592-106-14
5/16	5/16 G7 - 3/8 G7	6,600	8	DK RED	8592-107-80
3/8	3/8 G7 - 1/2 G4	9,200	13	RED	8592-108-14

* Recoilless

TRUCK-TOUGH BINDERS - RATCHET TYPE Forged Handle/No Ball Bearing

Chain Rating (size/grade)	Working Load Limit (lbs.)	Package Quantity	Approx Weight Per Unit (lbs.)	Finish	Part Number
5/16 - 3/8	8,800	1	12.25	RED PAINT	8592-736-14
3/8 - 1/2	12,000	1	13.75	RED PAINT	8592-738-14
1/2 - 5/8	18,100	1	16	RED PAINT	8592-742-14
5/8 - 3/4	18,100	1	27	RED PAINT	8592-748-14
1/2 - 5/8 JAW Bolts	16,000	1	14	RED PAINT	8592-750-14



GRADE 80 LOAD BINDERS - RATCHET TYPE

Chain Size (in.)	Chain Rating	Working Load Limit (lbs.)	Approx. Weight Per Unit (lbs.)	Finish	Part Number
5/16	5/16 G8 - 3/8 G8	7,100	11	GREEN	8592-836-14
3/8	3/8 G8-1/2 G8	12,000	12	GREEN	8592-838-14
1/2	1/2 G8-5/8 G8	18,100	19	GREEN	8592-840-14

Not for Overhead Lifting



LOCKDOWN CHAIN

Square heat treated links make it very difficult to cut with conventional bolt cutters.

Perfect for construction equipment, trailers, ATVs, watercraft and other valuables.



Chain Size (in.)	Working Load Limit (lbs.)	Weight Per 100 ft. (lbs.)	Material Diameter (in.)	Inside Length (in.)	Inside Width (in.)
10MM (3/8)	N/A	160	0.393	1.49	0.622
13MM (1/2)	N/A	264	0.512	1.742	0.807

DRUMS

Chain Size (in.)	Feet per Drum	Weight Per Drum (lbs.)	Part Number
10MM (3/8)	300	481	1970-543-34
10MM (3/8)	100	160	1970-512-34
13MM (1/2)	200	562	1973-543-34
13MM (1/2)	100	283	1973-544-34

LOCK

Weight Per Piece (lbs.)	Part Number
2.32	8204-100-04



SPECIFICATIONS

LACLEDE™ SINGLE TRUCK CHAINS

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
2209R	19	6219	11	25	56	9	250	12.12	.234	66.7	.218	5401	5308F
2211R/CAM	23	6219	13	25	56	9	250	12.12	.234	76.2	.218	5401	5308F
2216R/CAM	22	6221	12	25	56	10	250	13.12	.234	72.3	.218	5401	5308F
2219R/CAM	24	6221	13	25	56	10	250	13.12	.234	77.8	.218	5401	5308F
2221R/CAM	26	6221	14	25	56	10	250	13.12	.234	83.4	.218	5401	5308F
2214R/CAM	28	6221	15	25	56	10	250	13.12	.234	89	.218	5401	5308F
2229R/CAM	24	6225	12	25	67	12	250	15.12	.234	72.3	.218	5401	5308F
2228R/CAM	27	6225	14	25	67	12	250	15.12	.234	83.4	.218	5401	5308F
2233CAM	38	6251	11	25	95	9	271	14.37	.281	86.9	.281	5402	5402
2237R/CAM	40	6251	12	25	95	9	271	14.37	.281	94.1	.281	5402	713F
2239CAM	44	6251	13	25	95	9	271	14.37	.281	101.4	.281	5402	5402
2241R/CAM	46	6251	14	25	95	9	271	14.37	.281	108.6	.281	5402	713F
2245R/CAM	49	6251	15	25	95	9	271	14.37	.281	115.8	.281	5402	713F
2247R/CAM	48	6253	14	25	104	10	271	15.62	.281	108.6	.281	5402	713F
2249R/CAM	53	6253	15	25	104	10	271	15.62	.281	115.8	.281	5402	713F
2251R/CAM	62	6260	14	25	132	9	290	16.01	.312	115.2	.312	5402	713F
2253CAM	71	6260	16	25	132	9	290	16.01	.312	130.6	.312	5402	5402
2255R/CAM	67	6263	14	25	144	10	290	17.4	.312	115.2	.312	5402	713F

LACLEDE™ REINFORCED SINGLE TRUCK CHAINS

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
2809R	21	6819	11	25	60	9	250	12.12	.234	66.7	.218	5401	5308F
2811R	26	6819	13	25	60	9	250	12.12	.234	77.8	.218	5401	5308F
2816R/CAM	25	6821	12	25	69	10	250	13.12	.234	72.3	.218	5401	5308F
2819R/CAM	25	6821	13	25	69	10	250	13.12	.234	77.8	.218	5401	5308F
2821R/CAM	27	6821	14	25	69	10	250	13.12	.234	83.4	.218	5401	5308F
2829R/CAM	26	6825	12	25	76	12	250	15.12	.234	72.3	.218	5401	5308F
2828R/CAM	30	6825	14	25	76	12	250	15.12	.234	83.4	.218	5401	5308F
2837CAM	44	6822	12	25	112	9	271	14.37	.281	94.1	.281	5402	5402
2839R/CAM	47	6822	13	25	112	9	271	14.37	.281	101.4	.281	5402	713F
2841R/CAM	51	6822	14	25	112	9	271	14.37	.281	108.6	.281	5402	713F
2845R/CAM	54	6822	15	25	112	9	271	14.37	.281	115.8	.281	5402	713F
2847R/CAM	54	6853	14	25	121	10	271	15.62	.281	108.6	.281	5402	713F
2849R/CAM	57	6853	15	25	121	10	271	15.62	.281	115.8	.281	5402	713F
2851R/CAM	68	6860	14	25	147	9	290	16.01	.312	115.2	.312	5402	713F
2855R	71	6863	14	25	158	10	290	17.4	.312	115.2	.312	5402	713F
2857R	81	6863	16	25	158	10	290	17.4	.312	130.6	.312	5402	713F

LACLEDE™ DUAL-TRIPLE TRUCK CHAINS

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
4219CAM	44	6221	26	25	56	10	250	13.12	.234	80.6	.218	5401	5401
4221CAM	49	6221	28	25	56	10	250	13.12	.234	86.2	.218	5401	5401
4310CAM	47	6225	26	25	67	12	250	15.12	.234	80.6	.218	5401	5401
4231R/CAM	51	6225	28	25	67	12	250	15.12	.234	86.2	.218	5401	5308F
4239R/CAM	84	6251	26	25	95	9	271	14.37	.281	105	.281	5402	713F
4241CAM	84	6251	28	25	95	9	271	14.37	.281	112.2	.281	5402	5402
4245R/CAM	90	6251	30	25	95	9	271	14.37	.281	119.5	.281	5402	713F
4247R/CAM	89	6253	28	25	104	10	271	15.62	.281	112.2	.281	5402	713F
4249R/CAM	92	6253	30	25	104	10	271	15.62	.281	119.5	.281	5402	713F
4251R/CAM	113	6260	28	25	132	9	290	16.01	.312	119	.312	5402	713F
4255R	115	6263	28	25	144	10	290	17.4	.312	119	.312	5402	713F
4257R	134	6263	32	25	144	10	290	17.4	.312	134.4	.312	5402	713F

LACLEDE™ REINFORCED DUAL-TRIPLE TRUCK CHAINS

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
4819R/CAM	49	6821	26	25	69	10	250	13.12	.234	80.6	.218	5401	5308F
4821R/CAM	53	6821	28	25	69	10	250	13.12	.234	86.2	.218	5401	5308F
4839CAM	90	6822	26	25	112	9	271	14.37	.281	105	.281	5402	5402
4841R/CAM	95	6822	28	25	112	9	271	14.37	.281	112.2	.281	5402	713F
4845R/CAM	99	6822	30	25	112	9	271	14.37	.281	119.5	.281	5402	713F
4847R/CAM	102	6853	28	25	121	10	271	15.62	.281	112.2	.281	5402	713F
4849R/CAM	104	6853	30	25	121	10	271	15.62	.281	119.5	.281	5402	713F
4851R	118	6860	28	25	147	9	290	16.01	.312	119	.312	5402	713F
4855R/CAM	124	6863	28	25	158	10	290	17.4	.312	119	.312	5402	713F

LACLEDE™ EXTRA-DURABLE SINGLE & DUAL TRIPLE TRUCK/BUS CAM CHAINS

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
2241XDLG	54	7468	14	25	128	8	271	14.24	.312	108.6	.281	5402	5402
2245XDLG	56	7468	15	25	128	8	271	14.24	.312	115.8	.281	5402	5402
2247XDLG	55	7469	14	25	132	9	271	15.63	.312	106.8	.281	5402	5402
2249XDLG	62	7470	15	25	138	10	271	17.02	.312	115.8	.281	5402	5402
3269XDLG	71	7475	13	25	135	15	290	24.35	.312	101.4	.281	5402	5402
4245XDLG	104	7468	30	25	128	8	271	14.24	.312	119.5	.281	5402	5402
4247XDLG	101	7469	28	25	132	9	271	15.63	.312	110.4	.281	5402	5402
4249XDLG	115	7470	30	25	138	10	271	17.02	.312	119.5	.281	5402	5402

LACLEDE™ 5.5MM SQUARE STRAIGHT LINK ALLOY LIGHT TRUCK CAM CHAINS

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
2114CAM	33	9311	14	25	65	11	250	14.34	5.5mm	84.8	.218	5401	5401
2116CAM	21	9311	11	25	65	11	250	14.34	5.5mm	68.1	.218	5401	5401
2119CAM	23	9311	12	25	65	11	250	14.34	5.5mm	73.6	.218	5401	5401
2121CAM	25	9311	13	25	65	11	250	14.34	5.5mm	79.2	.218	5401	5401
2129CAM	24	9313	11	25	73	13	250	16.38	5.5mm	68.1	.218	5401	5401
3110CAM	26	9313	12	25	73	13	250	16.38	5.5mm	73.7	.218	5401	5401
3127CAM	27	9313	13	25	73	13	250	16.38	5.5mm	77.8	.218	5401	5401
3129CAM	31	9315	14	25	81	15	250	18.42	5.5mm	83.4	.218	5401	5401

LACLEDE™ 7MM SQUARE STRAIGHT LINK ALLOY CHAINS

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
2121	41	9413	10	25	131	13	280	15.54	7mm	79.6	.281	5402	713F
2147R/LG	56	9413	14	25	131	13	280	15.54	7mm	108.6	.281	5402	713F
2149R/LG	60	9413	15	25	131	13	280	15.54	7mm	115.8	.281	5402	713F
4147R/LG	93	9413	28	25	131	13	280	15.54	7mm	112.2	.281	5402	713F
4149R/LG	103	9413	30	25	131	13	280	15.54	7mm	119.5	.281	5402	713F

LACLEDE™ 8MM SQUARE STRAIGHT LINK ALLOY CHAINS

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
2145HD/LG	80	9511	12/14	25	172	11	320/290	16.15	8mm	110.7/113.3	.375/.312	5403/5402	713F/5402
2149HD/LG	85	9513	12/14	25	194	13	320/290	18.45	8mm	110.7/117.1	.375/.312	5403/5402	713F/5402
4145HD/LG	135	9511	24/28	25	172	11	320/290	16.15	8mm	119.4/113.3	.375/.312	5403/5402	713F/5402
4149HD/LG	146	9513	24/28	25	194	13	320/290	18.45	8mm	119.4/117.1	.375/.312	5403/5402	713F/5402

LACLEDE™ WIDE-BASE REINFORCED TRUCK CAM CHAINS

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
3810CAM	31	6825	13	25	76	12	250	15.12	.234	77.8	.218	5401	5401
3827CAM	41	6853	10	25	121	10	271	15.62	.281	79.6	.281	5402	5402
3828CAM	39	6834	9	25	148	12	271	18.12	.281	72.4	.281	5402	5402
3829CAM	44	6834	10	25	148	12	271	18.12	.281	79.6	.281	5402	5402
3831CAM	47	6834	11	25	148	12	271	18.12	.281	86.9	.281	5402	5402

LACLEDE™ LIGHT, HEAVY & WIDE BASE TRUCK CABLE CHAINS

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Rollers	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
2011	9	8819	13	10	29	15	N/A	11.12	N/A	77.35	N/A	N/A	N/A
2014	11	8821	15	10	32	17	N/A	12.12	N/A	88.85	N/A	N/A	N/A
2016	9	8821	12	10	32	17	N/A	12.12	N/A	72.35	N/A	N/A	N/A
2019	10	8821	13	10	32	17	N/A	12.12	N/A	77.85	N/A	N/A	N/A
2021	10	8821	14	10	32	17	N/A	12.12	N/A	83.35	N/A	N/A	N/A
2028	12	8825	14	10	36	21	N/A	14.12	N/A	83.35	N/A	N/A	N/A
2029	10	8825	12	10	36	21	N/A	14.12	N/A	72.35	N/A	N/A	N/A
2037	14	8851	14	10	30	22	N/A	14.37	N/A	94.68	N/A	N/A	N/A
2039	15	8851	15	10	30	22	N/A	14.37	N/A	101.05	N/A	N/A	N/A
2041	16	8851	16	10	30	22	N/A	14.37	N/A	107.05	N/A	N/A	N/A
2045	17	8853	16	10	38	25	N/A	15.62	N/A	107.05	N/A	N/A	N/A
2049	18	8853	17	10	38	25	N/A	15.62	N/A	113.08	N/A	N/A	N/A
3010	11	8825	13	10	36	21	N/A	14.12	N/A	77.65	N/A	N/A	N/A
3027	10	8853	11	10	36	25	N/A	16.50	N/A	75.55	N/A	N/A	N/A
3029	12	8859	11	10	49	30	N/A	18.75	N/A	77.35	N/A	N/A	N/A
3055	22	8813	16	10	48	36	N/A	21.57	N/A	105.55	N/A	N/A	N/A
3065	22	8815	13	10	65	41	N/A	24.33	N/A	87.55	N/A	N/A	N/A
3069	24	8815	15	10	65	41	N/A	24.33	N/A	99.55	N/A	N/A	N/A
4037	28	8851	28	10	30	22	N/A	14.37	N/A	94.68	N/A	N/A	N/A
4039	31	8851	30	10	30	22	N/A	14.37	N/A	101.05	N/A	N/A	N/A
4041	31	8851	32	10	30	22	N/A	14.37	N/A	107.05	N/A	N/A	N/A
4045	33	8853	32	10	38	25	N/A	15.62	N/A	107.05	N/A	N/A	N/A
4049	36	8853	34	10	38	25	N/A	15.62	N/A	113.05	N/A	N/A	N/A

LACLEDE™ WIDE BASE TRUCK CHAINS

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
3210R/CAM	26	6225	13	25	67	12	250	15.12	.234	77.8	.218	5401	5308F
3227R/CAM	36	6253	10	25	104	10	271	15.62	.281	79.6	.281	5402	713F
3228R/CAM	36	6259	9	25	116	12	271	18.12	.281	72.4	.281	5402	713F
3229R/CAM	39	6259	10	25	116	12	271	18.12	.281	79.6	.281	5402	713F
3231R/CAM	42	6259	11	25	116	12	271	18.12	.281	85.1	.281	5402	713F
3235R	46	6259	12	25	116	12	271	18.12	.281	94.1	.281	5402	713F
3251R	45	6267	10	25	153	17	271	24.37	.281	79.6	.281	5402	713F
3255R/CAM	68	7213	14	25	165	13	290	21.57	.312	108.6	.281	5402	713F
3261R	77	7214	16	25	175	14	290	22.96	.312	123.1	.281	5402	713F
3265R	57	7215	11	25	188	15	290	24.35	.312	86.9	.281	5402	713F
3269R/CAM	67	7215	13	25	188	15	290	24.35	.312	101.4	.281	5402	713F
3271R/CAM	75	7215	14	25	188	15	290	24.35	.312	108.6	.281	5402	713F

LACLEDE™ SINGLE MUD SERVICE TRUCK CHAINS

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
2433	32	6256	8	25	124	8	290	14.62	.312	65.2	.281	5402	713F
2435	36	6256	9	25	124	8	290	14.62	.312	72.4	.281	5402	713F
2437	39	6256	10	25	124	8	290	14.62	.312	79.6	.281	5402	713F
2439	40	6260	10	25	132	9	290	16.01	.312	79.6	.281	5402	713F
2441	61	6434	11	25	200	11	290	17.42	.375	92.2	.312	5402	713F
2445	67	6434	12	25	200	11	290	17.42	.375	99.8	.312	5402	713F
2448	72	6434	13	25	200	11	290	17.42	.375	107.5	.312	5402	713F
2452	77	6434	14	25	200	11	290	17.42	.375	115.2	.312	5402	713F
2486	92	6438	14	25	236	13	320	19.5	.375	115.2	.312	5402	713F

LACLEDE™ DUAL-TRIPLE MUD SERVICE TRUCK CHAINS

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
4412	70	6256	20	25	124	8	290	14.62	.312	83.3	.281	5402	713F
4448	139	6434	26	25	200	11	290	17.42	.375	111.4	.312	5402	713F
4461	144	6434	28	25	200	11	290	17.42	.375	119.0	.312	5402	713F
4486	174	6438	28	25	236	13	320	19.5	.375	119.0	.312	5402	713F

LACLEDE™ GRADER & EQUIPMENT CHAINS

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
2612	107	6630	14	5	280	17	320	25.01	.375	115.2	.312	5403	713F
2615	123	6630	16	5	280	17	320	25.01	.375	130.6	.312	5403	713F
2624	166	6640	13	5	420	15	317	28.19	.437	121.5	.375	5403	714F
2627	189	6640	15	5	420	15	317	28.19	.437	138.9	.375	5403	714F
2633	202	6650	14	5	520	19	317	34.44	.437	130.2	.375	5403	714F
2636	211	6650	15	5	520	19	317	34.44	.437	138.9	.375	5403	714F
2645	365	6660	15	5	840	20	317	39.42	.531	149.1	.437	714F	714F
2657	447	6670	17	5	960	23	317	44.62	.531	167.8	.437	714F	714F

LACLEDE™ REINFORCED GRADER & EQUIPMENT CHAINS

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
2912	118	6930	14	5	329	17	320	25.01	.375	115.2	.312	5403	713F
2915	145	6930	16	5	329	17	320	25.01	.375	130.6	.312	5403	713F
2917	170	6917	15	5	379	20	317	28.42	.375	138.9	.375	5403	714F

LACLEDE™ NU-WAY TRACTOR CHAINS

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
0736	91	204	12	5	260	5	314	19.05	.312	110.6	.312	5403	5310F
0738	96	204	13	5	260	5	314	19.05	.312	119.1	.312	5403	5310F
0752	105	206	12	5	310	7	314	22.55	.312	110.6	.312	5403	5310F
0756	114	206	13	5	310	7	314	22.55	.312	119.1	.312	5403	5310F
0759	130	206	15	5	310	7	314	22.55	.312	136.1	.312	5403	5310F
0766	154	206	18	5	310	7	314	22.55	.312	161.7	.312	5403	5310F
0772	132	210	12	5	420	11	314	29.55	.312	110.6	.312	5403	5310F
0774	152	210	14	5	420	11	314	29.55	.312	127.6	.312	5403	5310F
0777	163	210	15	5	420	11	314	29.55	.312	136.1	.312	5403	5310F
0779	183	210	17	5	420	11	314	29.55	.312	153.1	.312	5403	5310F
0787	206	211	17	5	480	13	314	33.55	.312	153.1	.312	5403	5310F
0789	218	211	19	5	480	13	314	33.55	.312	170.2	.312	5403	5310F
0790	251	212	19	5	530	15	314	36.55	.312	170.2	.312	5403	5310F

LACLEDE™ DUO GRIP TRACTOR CHAINS

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
DUO214	110	DUO292	8	5	502	9	290	18.35	.375	117.0	.312	5403	5310F
DUO226	124	DUO292	9	5	502	9	290	18.35	.375	129.7	.312	5403	5310F
DUO225	88	DUO293	6	5	552	10	320	20.00	.375	89.3	.312	5403	5310F
DUO229	130	DUO293	9	5	552	10	320	20.00	.375	129.7	.312	5403	5310F
DUO218	143	DUO293	10	5	552	10	320	20.00	.375	142.5	.312	5403	5310F
DUO242	150	DUO294	10	5	583	11	320	21.65	.375	142.5	.312	5403	5310F
DUO240	141	DUO295	9	5	613	12	320	23.30	.375	129.7	.312	5403	5310F
DUO250	156	DUO295	10	5	613	12	320	23.30	.375	142.5	.312	5403	5310F
DUO252	173	DUO295	11	5	613	12	320	23.30	.375	155.3	.312	5403	5310F
DUO260	160	DUO296	10	5	614	13	320	24.95	.375	142.5	.312	5403	5310F
DUO254	194	DUO296	12	5	614	13	320	24.95	.375	168.0	.312	5403	5310F
DUO263	135	DUO297	8	5	645	14	320	26.60	.375	117.0	.312	5403	5310F
DUO262	169	DUO297	10	5	645	14	320	26.60	.375	142.5	.312	5403	5310F
DUO266	184	DUO297	11	5	645	14	320	26.60	.375	155.3	.312	5403	5310F
DUO270	200	DUO297	12	5	645	14	320	26.60	.375	168.0	.312	5403	5310F
DUO264	132	DUO298	7	5	676	17	320	31.55	.375	104.2	.312	5403	5310F
DUO268	171	DUO298	9	5	676	17	320	31.55	.375	129.7	.312	5403	5310F
DUO271	188	DUO298	10	5	676	17	320	31.55	.375	142.5	.312	5403	5310F
DUO273	206	DUO298	11	5	676	17	320	31.55	.375	155.3	.312	5403	5310F
DUO272	226	DUO298	12	5	676	17	320	31.55	.375	168.0	.312	5403	5310F
DUO277	298	DUO298	16	5	676	17	320	31.55	.375	221.1	.312	5403	5310F
DUO276	259	DUO299	13	5	769	19	320	34.85	.375	180.8	.312	5403	5310F
DUO282	252	DUO302	12	5	923	22	320	40.48	.375	168.0	.312	5403	5310F

LACLEDE™ BULK CONTINUOUS DUO GRIP TRACTOR CHAINS

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
DO-II	608	DUO295	72	5	613	12	320	23.30	.375	1,225	.312	5403	5310F
DO-III	589	DUO297	65	5	645	14	320	26.60	.375	1,106	.312	5403	5310F
DO-IV	610	DUO298	60	5	676	17	320	31.55	.375	1,021	.312	5403	5310F
DO-V	566	DUO301	50	5	934	21	314	40.32	.375	851	.312	5403	5310F

LACLEDE™ ROADMASTER TRACTOR CHAINS

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
0829	53	6434	9	25	200	11	290	17.42	.375	76.8	.312	5403	5309F
0822	62	6434	11	25	200	11	290	17.42	.375	92.2	.312	5403	5309F
0832	70	6434	12	25	200	11	290	17.42	.375	99.8	.312	5403	5309F
0836	82	6445	12	25	252	14	320	21.14	.375	99.8	.312	5403	5309F
0852	91	6445	13	25	252	14	320	21.14	.375	107.5	.312	5403	5309F
0838	95	6445	14	25	252	14	320	21.14	.375	115.2	.312	5403	5309F
0856	105	6445	15	25	252	14	320	21.14	.375	122.9	.312	5403	5309F
0850	76	7420	10	25	276	16	320	23.66	.375	84.5	.312	5403	5309F
0858	106	7420	14	25	276	16	320	23.66	.375	115.2	.312	5403	5309F
0859	105	7420	15	25	276	16	320	23.66	.375	122.9	.312	5403	5309F
0869	120	7420	16	25	276	16	320	23.66	.375	130.6	.312	5403	5309F
0874	123	7426	15	25	320	19	320	27.44	.375	122.9	.312	5403	5309F
0876	130	7426	16	25	320	19	320	27.44	.375	130.6	.312	5403	5309F
0877	142	7426	17	25	320	19	320	27.44	.375	138.2	.312	5403	5309F
0879	150	7426	18	25	320	19	320	27.44	.375	145.9	.312	5403	5309F
0883	167	9562	13	10	456	17	317	31.29	.437	121.5	.375	5403	714F
0885	191	9562	15	10	456	17	317	31.29	.437	138.9	.375	5403	714F
0887	205	9562	16	10	456	17	317	31.29	.437	147.6	.375	5403	714F
0894	250	9562	19	10	456	17	317	31.29	.437	173.6	.375	5403	714F

LACLEDE™ FORKLIFT CHAINS

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
2108FL	15	9311	8	25	65	11	250	14.34	5.5mm	50.0	.218	5401	713F
2110FL	19	9311	10	25	65	11	250	14.34	5.5mm	61.2	.218	5401	713F
2116FL	20	9311	11	25	65	11	250	14.34	5.5mm	66.7	.218	5401	713F
2121FL	27	9311	13	25	65	11	250	14.34	5.5mm	79.2	.218	5401	713F
2129FL	22	9313	11	25	73	13	250	16.38	5.5mm	68.1	.218	5401	713F
2128FL	28	9313	14	25	73	13	250	16.38	5.5mm	83.4	.218	5401	713F
3129FL	30	9315	13	25	81	15	250	18.42	5.5mm	77.8	.218	5401	713F

LACLEDE™ ALL TERRAIN VEHICLE CHAINS - 2 LINK SPACING

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
611ATV	28	6821	17	25	65	10	250	13.12	.234	55.6	.218	5401	5308F
612ATV	31	6821	19	25	65	10	250	13.12	.234	61.2	.218	5401	5308F
615ATV	26	N/A	13	N/A	N/A	13	250	16.12	.234	44.5	.218	5401	5308F
618ATV	37	N/A	19	N/A	N/A	13	250	16.12	.234	61.2	.218	5401	5308F
620ATV	36	N/A	15	N/A	N/A	17	250	20.12	.234	50.0	.218	5401	5308F

LACLEDE™ SNOW BLOWER & GARDEN TRACTOR CHAINS

Chain Sets		Cross Chain								Side Chain			
Tire Chain Stock No.	Wt./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains Per 1/2 Pr.	Standard Package Qty.	Wt./100pc Lbs.	No. of Links	Cross Hook No.	Inside Length W/hook Inches	Wire Size	Length Inches	Wire Size	Inside Fastener	Outside Fastener
3301G	3	N/A	10	N/A	N/A	6	146	5.48	.146	22.2	.118	.192C	.177L
7106G	3	N/A	10	N/A	N/A	7	146	6.06	.146	24.4	.118	.192C	.177L
3302G	4	N/A	13	N/A	N/A	7	146	6.06	.146	31.1	.118	.192C	.177L
3309G	7	N/A	14	N/A	N/A	6	156	6.58	.177	36.3	.177	.192C	.177L
7129G	6	N/A	11	N/A	N/A	7	156	7.26	.177	33	.146	.192C	.177L
1301G	11	N/A	13	N/A	N/A	6	231	8.76	.207	37.5	.177	5401	5308F
3303G	16	N/A	15	N/A	N/A	7	230	10.18	.207	46.7	.192	5401	5308F
3300G	12	N/A	13	N/A	N/A	7	230	10.18	.207	38.8	.177	5401	5308F
3312G	14	N/A	15	N/A	N/A	7	230	10.18	.207	42.5	.177	5401	5308F
3307G	15	N/A	13	N/A	N/A	10	230	12.94	.207	38.9	.192	5401	5308F
3311G	10	N/A	7	N/A	N/A	10	230	12.94	.207	37.6	.192	5401	5308F
3305G	16	N/A	13	N/A	N/A	12	230	14.78	.207	37.6	.192	5401	5308F
3306G	10	N/A	6	N/A	N/A	12	230	14.78	.207	37.6	.192	5401	5308F
7145G	20	N/A	16	N/A	N/A	12	230	14.78	.207	46.7	.192	5401	5308F
5320G	13	N/A	9	N/A	N/A	12	230	14.78	.207	48	.192	5401	5308F
1308G	19	N/A	17	N/A	N/A	9	230	12.02	.207	50.5	.192	5401	5308F
5318G	11	N/A	8	N/A	N/A	9	230	12.02	.207	45.4	.192	5401	5308F
5313G	19	N/A	20	N/A	N/A	8	230	11.1	.207	57.5	.177	5401	5308F
4300G	22	N/A	20	N/A	N/A	9	230	12.02	.207	57	.192	5401	5308F
4301G	13	N/A	10	N/A	N/A	9	230	12.02	.207	57	.192	5401	5308F
5308G	30	N/A	22	N/A	N/A	14	230	16.62	.207	64.8	.192	5401	5308F
5306G	18	N/A	11	N/A	N/A	14	230	16.62	.207	63.5	.192	5401	5308F
5307G	25	N/A	20	N/A	N/A	12	231	14.28	.207	57	.192	5401	5308F
5303G	15	N/A	10	N/A	N/A	12	231	14.28	.207	54.4	.192	5401	5308F
7164G	25	N/A	18	N/A	N/A	15	230	17.04	.207	54.4	.192	5401	5308F
1307G	28	N/A	26	N/A	N/A	9	230	12.02	.207	76.5	.192	5401	5308F
5323G	64	N/A	20	N/A	N/A	10	271	17.02	.312	83.3	.281	5402	5308F
5324G	109	N/A	17	N/A	N/A	16	290	23.74	.375	74.6	.312	5402	5308F
9100G	66	N/A	9	N/A	N/A	16	290	23.74	.375	78.7	.312	5402	5308F
1311G	33	N/A	31	N/A	N/A	9	230	12.02	.207	84.2	.192	5401	5308F
1310G	20	N/A	15	N/A	N/A	9	230	12.02	.207	81.6	.192	5401	5308F
1302G	11	N/A	15	N/A	N/A	6	177	8.12	.234	40.1	.146	.192C	.177L
3310G	7	N/A	11	N/A	N/A	5	177	7.12	.234	28.3	.146	.192C	.177L
7156G	8	N/A	10	N/A	N/A	7	177	9.12	.234	27.1	.146	.192C	.177L
3315G	15	N/A	15	N/A	N/A	7	231	9.12	.234	40	.177	5401	5308F

WARRANTIES

1. **DISCLAIMER OF WARRANTIES:** THE PRODUCTS LISTED IN THIS CATALOG ARE WARRANTIED FREE FROM DEFECTS IN WORKMANSHIP AND MATERIAL FOR THIRTY (30) DAYS FROM DATE OF DELIVERY TO A USER, PROVIDED THE ABOVE RULES FOR USING TIRE CHAINS ARE COMPLIED WITH. NO OTHER EXPRESS OR IMPLIED WARRANTY OF ANY KIND WHATSOEVER (INCLUDING BY WAY OF EXAMPLE AND NOT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE) IS GIVEN AND NO AFFIRMATION OF SELLER, BY WORDS OR ACTION, SHALL CONSTITUTE A WARRANTY.

2. THE ABOVE WARRANTY IS MADE ONLY TO THE DEALER, RETAILER OR OTHER DIRECT CUSTOMER OF LACLEDE. LACLEDE MAKES NO WARRANTY TO ANY OTHER ULTIMATE USER AND PROHIBITS THE TRANSFER OF THE WARRANTY GIVEN ABOVE TO ITS DIRECT CUSTOMER TO ANY SUBSEQUENT PURCHASERS, INCLUDING BUT NOT LIMITED TO ULTIMATE USER.

3. REMEDIES: THE BUYER'S SOLE REMEDY FOR BREACH OF ANY WARRANTY IS LIMITED EXCLUSIVELY TO OBTAINING, AT THE DISCRETION OF THE SELLER, EITHER CREDIT, OR REPAIR OR REPLACEMENT OF ANY PRODUCT SOLD HEREUNDER THAT WAS MANUFACTURED BY LACLEDE, WHICH SHALL BE RETURNED TO SELLER'S PLANT TRANSPORTATION PREPAID WITHIN THIRTY (30) DAYS AFTER DELIVERY TO A USER AND WITHIN TEN (10) DAYS OF DISCOVERY OF ALLEGED DEFECT, AND WHICH LACLEDE'S INSPECTION SHALL DETERMINE TO BE DEFECTIVE. BUYER SHALL NOT BE ENTITLED TO RECOVER ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. NO MATERIAL SHALL BE RETURNED WITHOUT WRITTEN CONSENT OF THE SELLER.

NOTES

[illegible]

Call Toll Free



Customer Service Center

For Tire Chain Products & Accessories:

800-547-4702

FAX: 360-694-2508

e-mail: traction.chain@lacledegroupp.com

www.lacledechain.com

TIRE CHAIN SALES & DISTRIBUTION

ADDRESS UNTIL 9/30/17

603 S.E. Victory Ave.
Suite 170 - Building 46
Vancouver, WA 98661

ADDRESS STARTING 10/1/17

3665 N.W. 32ND Ave.
Vancouver, WA 98660

Phone: 800-547-4702

Local: 360-694-2510

FAX: 360-694-2508

HARDWARE & INDUSTRIAL DIVISION

1549 Fenpark Drive
Fenton, MO 63026
Phone: 800-325-2699

MANUFACTURING FACILITIES

2500 East First St.
Maryville, MO 64468

101 West Ceres Blvd.
Vicksburg, MS 39183

CORPORATE HEADQUARTERS

1549 Fenpark Drive
Fenton, MO 63026
Phone: 800-325-2699